

INDEX

A

- A.H. Robins Co., 222
- Abbott, Gilbert, 165
- Abbott Laboratories, 215
- Abbreviated Injury Scale (AIS), 11, 12–13, 26
- Abdominal injuries, 479–494
 - and damage control, 493–494
 - and evacuation complications, 776, 777
 - intraperitoneal injuries, 488–493
 - and medical outcome, 21–22
 - perioperative considerations, 483–485
 - retroperitoneal injuries, 486–488
 - sites, 485–494
 - See also* Abdominal trauma and war surgery
- Abdominal surgery
 - and applied anatomy for regional anesthesia, 260
 - and applied physiology for regional anesthesia, 260–261
 - and epidural anesthesia, 261, 262–263, 264
 - and intercostal nerve block, 261, 265–267
 - and interpleural nerve block, 261, 267
 - and peripheral nerve blocks, 261, 267
 - and regional anesthesia, 259–267
 - and spinal anesthesia, 261, 263–265
 - See also* Abdominal trauma and war surgery
- Abdominal trauma and war surgery, 480–483
 - diagnosis, 482
 - intraoperative blood salvage, 482–483
 - and recommended modifications of ATLS, 36
 - and regional anesthesia, 259–267
 - in World War I, 870
 - wound ballistics, 481–482
 - See also* Abdominal injuries; Abdominal surgery
- Abel, R.M., 727
- Acceleration forces
 - and biophysical effects, 774
- Acid-base balance
 - with hypothermia, 796–797
 - and transfusion, 329
- Acid-base disturbances
 - in ARF, 728–730
 - and therapeutic cooling, 820
- Acidemia, metabolic, 737–738
- Acidosis, metabolic, 729
- Acute hypothermia, 792
- Acute renal failure (ARF), 709–744
 - and blood analysis, 718–719
 - and conservative treatment, 726–731
 - and diagnostic assessment, 717–719
 - and dialysis, approaches to, 731–736
 - and dialytic management, 736–741
 - in military history, 710–713
 - and mortality, 711
 - and pathogenesis, 713–716
 - pathophysiology of, induced by sepsis, 617
 - and patient history, 718
 - and physical examination, 718
 - and prevention, 719–724
 - prognosis and outcome, 741–744
 - protection against incipient failure, 724–726
 - and radiographic studies, 719
 - and urinalysis, 718–719
- See also* Kidneys; Renal dysfunction; Retroperitoneal injuries
- Acute respiratory failure and ventilatory management, 667–705
 - and ethical dilemmas in use of limited life-sustaining therapy, 685
 - mechanical ventilation: initiating, 690–692
 - mechanical ventilation: physiological effects, 683–684
 - mechanical ventilation: weaning from, 699–702
 - mechanical ventilation and combat casualties, 685–689
 - mechanical ventilatory support: complications, 684–685
 - monitoring ventilation and oxygenation, 692–698
 - pulmonary insufficiency: etiology, 669–673
 - respiratory failure: diagnosis, 680–682
 - respiratory failure: epidemiology, 669
 - respiratory failure: etiology, 668
 - respiratory failure: management, 682–683
 - respiratory insufficiency: indirect mechanisms, 674–680
 - ventilators for combat use, 702–704
 - See also* Airway management; Respiratory system
- Acute traumatic hemothorax, 465–466
- Adult respiratory distress syndrome (ARDS), 668
 - clinical findings, 679
 - and corticosteroid treatment, 642
 - pathophysiology, 679
 - and respiratory insufficiency, 676–680
 - and stabilizing the patient, 692
 - treatment, 678–680
 - See also* Acute respiratory failure and ventilatory management
- Advanced Trauma Life Support Course (ATLS), 31–38, 601, 779, 834
 - and anesthesia providers, 48
 - battlefield conditions, 33
 - critique on specific aspects, 33–38
 - military organization for provision of care, 32–33
 - See also* Combat trauma overview
- Adverse reactions
 - to local anesthetics, 257–259
- Aeromedical evacuation
 - advantages, 756
 - See also* Military medical evacuation
- Afrin, 406
- AIDS
 - and microbiologic evaluation, 624–625
 - and transfusions, 331, 332–333
 - See also* Human immunodeficiency virus (HIV)
- Air ambulance, 761
 - See also* Military medical evacuation
- Air evacuation, 760–761
 - See also* Military medical evacuation
- Airway
 - classification of, 62
 - compromised, 533–534
 - definition, 57
- Airway injuries
 - and face and neck injuries, 441–442
 - lower-airway injury, 528–529
 - upper-airway injury, 528
- Airway management, 55–76, 446–449
 - during aeromedical evacuation, 781–782
 - complications, 66–68
 - cricothyroidotomy, 68, 69, 449

- direct injury to airway, 74–75
- equipment, 59–61, 62–66
- with face and neck injuries, 446–449, 451
- fundamentals, 57–59
- goals, 57–58
- and hypothermia, 801, 803
- intraoperative, 451
- and management of failed intubation, 68–72
- mask ventilation, 447
- placement of airway devices, 62–66
- postoperative, 451
- and recommended modifications of ATLS, 35
- special considerations, 72–74
- with spinal cord injury, 406–407
- tracheal intubation, 447–448
- tracheostomy, 449
- transtracheal jet ventilation, 448–449
- See also* Acute respiratory failure and ventilatory management; Face and neck injuries; Intubation; Thoracic injuries
- Airway-management adjuncts, 60–61
- Airway obstruction, 57, 75
- Airway pressures
 - monitoring, 694–695
- Airway resistance
 - contributory factors, 694
- Airway stability
 - during aeromedical evacuation, 781
- Albumin, 555, 880
 - and nutritional repletion, 584
 - with sepsis/SIRS, 630–631
 - See also* Blood transfusion; Colloid solutions; Military transfusion practice; Transfusion therapy
- Alcatel Innova A/S, 800
- Alcock, Rutherford, 860
- Alcohol abuse
 - See* Drug and alcohol abuse
- Alfenta, 226
 - See also* Alfentanil
- Alfentanil, 226
 - as adjuvant to inhalational anesthesia, 229
 - dose regimen, 215
 - used as total intravenous anesthetic, 230
- Alkalosis, metabolic, 729–730
- Alkanes, 193
- Allen’s test, 107
- Allergic reactions
 - and transfusions, 335
- Allergy
 - to local anesthetics, 312
- Alpha-stat pH management, 797
 - See also* Acid-base balance
- Alveolar-arterial oxygen
 - See* Gas-exchange indices
- Alveolar injury
 - and pathophysiology, 677–678
- Alveolar oxygen
 - See* Gas-exchange indices
- Ambulance volante, 753
- Ambulances, 760, 761
- American Ambulance Hospital (Neuilly, France), 866
- American Association of Blood Banking, 333
- American Association of Nurse Anesthetists, 873
 - certification by, 884
- American Board of Anesthesiology, 873
- American Civil War, 753
- American Heart Association
 - on hypothermia, 801–803
- American Journal of Surgery, 866
- American Society of Anesthesiologists, 873
- American Society of Anesthetists, 873
- American Spinal Injury Association (ASIA) motor scores, 410, 411
- Ames, A.C., 726
- Amidate, 215
 - See also* Etomidate
- Amides
 - selection, 313
- Amino acids, 383
 - and composition for renal failure, 577
 - and preferential utilization, with stress, 559–561
 - See also* Metabolic derangements and nutritional support; Metabolites
- Aminosteroid pipecuronium bromide, 245
- Amnestic agents
 - See* Anxiolytic and amnestic agents
- Amputations, 857, 862
 - and nitrous oxide, 869, 870
- Amylene, 861
- Anabasis, 788
- Anabolic state, 546
 - See also* Metabolic derangements and nutritional support
- Analgesia
 - for burn casualties, 526
 - early agents, 856–857
 - produced by anesthetic agents, 223–227
- Analgesic drugs
 - and epidural and intrathecal routes, 315
 - and intramuscular and intravenous routes, 313–315
 - mode of administration, 313–316
- Analgesics, opioid
 - and clinical pharmacology, 294–298
- Anderson, D.M., 49
- Anemia
 - See* Hematological derangements
- Anesthesia
 - of the airway, 62–63
 - balanced, 535
 - and children, 862
 - and computers, 113
 - discovery, 857–860
 - evolution, 857–893
 - maintenance, 462–463, 484–485, 534–536
 - rapid-sequence induction of, 66
 - and women, 862
 - See also* Anesthesia for casualties of chemical warfare agents; Anesthetics; Closed-circuit anesthesia; Combat anesthesia overview; General anesthesia; Induction of anesthesia; Inhalational anesthesia; Intravenous anesthesia; Local and regional anesthesia; Management, anesthetic; Regional anesthesia
- Anesthesia care team, 885
 - See also* Personnel
- Anesthesia for casualties of chemical warfare agents, 833–852
 - aspects of important toxic agents, 837–839
 - complications of anesthesia by toxic agents, 846–847
 - injury sites by toxic agents, 840–841
 - management of anesthesia after toxic injury, 841–846
 - protection, detection, and decontamination, 839–840
 - pyridostigmine pretreatment and general anesthesia, 847–850
 - See also* Anesthesia; Closed-circuit anesthesia; General anesthesia; Inhalational anesthesia; Intravenous anesthesia
- Anesthesia equipment
 - in World War I, 867–868
- Anesthesia equipment, deployable, 123–126

- anesthetic drugs, 124, 125
 - blood-recovery equipment, 124
 - fluid resuscitation, 126
 - medical gases, 123–124
 - miscellaneous equipment, 124–126
 - physiological monitors, 123
 - resuscitative equipment, 123
 - See also* Equipment; Military anesthesia machines
 - Anesthesia machines
 - clean, 815–816
 - See also* Equipment; Military anesthesia machines
 - Anesthesia providers in battlefield hospitals, 47–53
 - education and training before deployment, 47–49
 - essentials of readiness: equipment, training, and attitude, 51–53
 - and the future, 52–53
 - and morale, 52
 - special problems with blood and blood products, 51
 - training the team after deployment, 49–51
 - and worst case scenario, 52
 - Anesthesiologist
 - and combat casualty care, 31–38
 - Advanced Trauma Life Support course, 31–33
 - aspects of Advanced Trauma Life Support, 33–38
 - See also* Personnel
 - Anesthetic depth (AD₉₅), 195, 202
 - Anesthetic management
 - of extremity casualties, 513–515
 - of open eye injuries, 429–431
 - after spinal cord injury, 407
 - Anesthetic techniques
 - with burn casualties, 533–536
 - with intravenous agents, 227–230
 - Anesthetics
 - for battlefield anesthesia, 212–214
 - deployable, 124, 125
 - local, 254–259
 - that produce analgesia, 223–227
 - during Vietnam War, 886–892
 - during World War I, 868–871
 - during World War II, 875–878
 - See also* Anesthesia; Potent volatile anesthetics
 - Anesthetists
 - See* Personnel
 - “Anoci-association,” 253
 - Antibiotics
 - for burn injuries, 525
 - for casualties with abdominal injuries, 483
 - during World War II, 881
 - and wound sepsis, 506
 - Antimicrobial therapy
 - for sepsis/SIRS, 637–639
 - Antipsychotics, 293
 - Antisepsis, 865
 - Anuria, 716
 - Anxiolytic and amnestic agents, 221–223
 - benzodiazepines, 221–222
 - droperidol, 223
 - scopolamine, 222–223
 - See also* individual entries
 - Aortic rupture, 470
 - See also* Great vessel injuries
 - Arachidonic acid metabolites
 - and sepsis/SIRS/MODS, 607–609
 - ARDS
 - See* Adult respiratory distress syndrome (ARDs)
 - ARF
 - See* Acute renal failure (ARF)
 - Arnold, K., 28
 - Arterial blood gases
 - monitoring, 110
 - Arterial cannulation
 - sites, 107
 - Arterial oxygen
 - with sepsis/SIRS, 633
 - See also* Gas-exchange indices
 - Arterial pressure
 - See* Pulmonary artery pressure
 - ASIA motor scores
 - See* American Spinal Injury Association (ASIA) motor scores
 - Aspiration, 67, 68, 75
 - and respiratory insufficiency, 674–675
 - See also* Airway management; Pulmonary aspiration
 - Aspirin
 - See* Nonsteroidal antiinflammatory drugs (NSAIDs)
 - Assault rifle, 9
 - Assessment
 - during evacuation, 779, 782
 - of nutrition, 565–567
 - of nutritional repletion, 584–585
 - preoperative, in chemical warfare casualties, 844–845
 - and recommended modifications of ATLS, 35
 - See also* Evaluation
 - Assist-control (AC) ventilation, 687–688
 - Association for the Advancement of Automotive Medicine, 11
 - Association of Air Medical Service, 763
 - ATLS
 - See* Advanced Trauma Life Support Course (ATLS)
 - Atracurium besylate, 244–245
 - See also* Nondepolarizing muscle relaxants
 - Atropine, 222, 673
 - and resuscitation, 879
 - Attrition in war, 2–6
 - and battle casualty rates, 6
 - and historical aspects, 2–3
 - importance of, due to battle injury, 3–4
 - and intensity, 5
 - magnitude of, 4–6
 - Augmentation teams, 137
 - Augustine Medical, Inc., 800
 - Austerity, 33
 - “Australian antigen,” 332
 - Autotransfusion, 483
 - See also* Blood salvage, intraoperative; Military transfusion practice; Transfusion therapy
 - Auxiliary Surgical Groups, 881
 - Azotemia, 716–717
 - See also* Acute renal failure (ARF)
- B**
- Bacteremia, 333, 599, 624
 - See also* Bacterial diseases; Sepsis; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
 - Bacterial diseases, 333
 - and antimicrobial therapy, 637–638
 - and evacuation complications, 778
 - See also* Infectious diseases
 - Bacterial translocation, 648
 - See also* Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
 - Baek, S.M., 727
 - Bair Hugger, 800
 - Baker Norton Pharmaceuticals, 532

- Ballistic injuries, 456–457
Baltimore Sun, 754
Baralyme, 159, 161, 162
Barbiturates, 214–215
 clinical use and contraindications, 215
 early use, 873
 pharmacology, 214
 physiological effects, 214–215
Barnes, Joseph K., 862
Barometric pressure
 and biophysical effects, 771–773
Barotrauma, 671
Barry, K.G., 722
Barton, Edward H., 860
Battle casualty rates, 6
Battlefield anesthesia, 212–214
Battlefield conditions, 33
 austerity, 33
 casualty density, 33
 danger, 33
 goals, 33
Battlefield medical environment, 44–46
 complexity of medical network, 44–45
 nature of evacuation scheme, 45
 operations pace, 45
 presurgical interventions, 46
 technological and logistical support, 44
Battlefield resources and malignant hyperthermia, 814–817
 clean anesthesia machine, 815–816
 equipment availability, 814–815
 laboratory testing, 817
 malignant hyperthermia cart, 816–817
Bay Medical, 72
Bayliss, William M., 871
Beall, D., 710
Bear 33, 687, 702, 703
Bear Medical Systems, 702
Beck's triad, 468
Beebe, G.W., 10
Beecher, Henry K., 876–877, 880, 881
Beecher machine, 876–877, 878, 881, 883
 See also Equipment; Military anesthesia machines
Beeson, B.B., 331
Bennett MA-1, 687, 702, 703
Bennett Medical Equipment, 702
Benzid, vapor of, 861
Benzodiazepines, 221–222
 and burn casualties, 532
 clinical use, 222
 pharmacology, 221
 physiological effects, 221–222
 See also individual entries
Benzylisoquinoline doxacurium chloride, 245
Berman intubating airway, 72
Berry, Frank, 884
Berry Plan, 884
Betadine Solution, 483
Bier blocks, 888
Bier's method, 275–276
Biological agents, 837
 See also Anesthesia for casualties of chemical warfare agents
Biological Warfare Convention, 837
Biophysical properties of inhalational anesthetics, 199–201
Bladder
 as injury site, 487–488
 See also Retroperitoneal injuries
Blalock, A., 874
Blankets, 798
Blast injuries, 457–458
 and pulmonary insufficiency, 670–671
 See also Injuries, mechanisms of
 "Blast wind," 7
Bleeding disorders
 and uremia, 738–739
 See also Hematological derangements
Blister agents
 and pulmonary insufficiency, 673
 See also Anesthesia for casualties of chemical warfare agents
Blood, 880, 881
 and blood products, 51
 planning factors, 343
 See also Blood banks; Blood transfusion; Military transfusion practice; Transfusion therapy
Blood agents
 and pulmonary insufficiency, 673
 See also Anesthesia for casualties of chemical warfare agents
Blood banks
 in DEPMEDS facility, 130
 first, 871
 preparing, for mass casualties, 364
 in Somalia, 365
Blood chemistry abnormalities
 and systemic hypothermia, 796–797
 See also Blood
Blood-distribution system: interaction guidelines, 369–373
Blood flow changes
 and response to stress, 557
 See also Metabolic derangements and nutritional support
Blood-gas interpretation
 and hypothermia, 803
Blood Gas System, 110
Blood groups, 354–355, 356, 357
Blood inventory tracking operation reports, 350
Blood loss
 allowable, 325–326
 and closed fractures, 505
 See also Blood; Hemorrhage
Blood pressure monitoring, 106–109
 central venous and pulmonary artery pressures, 108–109
 invasive, 107–108
 noninvasive, 106–107
Blood products, 51, 343
 developed for future, 358
 and interaction guidelines, 369–373
 See also Military transfusion practice; Transfusion therapy
Blood Program in World War II, 322
Blood-recovery equipment, 124
Blood Report, sample, 348
Blood salvage, intraoperative
 and war surgery, 482–483
Blood-salvage techniques, 88–89
Blood transfusion
 during World War I, 871–872
 during World War II, 345, 355, 357
 See also Military transfusion practice; Transfusion therapy
Blood transfusion at second echelon, 342, 344–351
 clinical factors, 347–349
 experience from previous wars, 344–346
 and field management of transfusion reactions, 349–351
 and field use of group O packed red blood cells, 346, 347
 technical factors, 346–347
Blood warmers, 799
Blood-warming infusion device, 124
Blumberg, B.S., 332

- Blunt injuries, 457–458
of head, 376
and pulmonary insufficiency, 669–670
See also Flail chest; Injuries, mechanisms of
- Board for the Study of the Severely Wounded in the Mediterranean Theater of Operations, 710–711, 880
- Boer War, 865
- Bougainville study, 29
- Boundary lipids, 192–193
- Bowel, small
as injury site, 489–492
See also Intraperitoneal injuries
- Bradykinin, 290, 291
- Braid, James, 857, 858
- Brain injuries
See Face and neck injuries; Neurological injuries
- Brain metabolic monitoring, 394
- Brain monitoring, 391–392
- Brandvold, Benny, 379
- Breathing circuit, 158–163
carbon dioxide absorber, 158–160
oxygen flush valve, 158, 160
oxygen monitor, 160–163
- Bristol Laboratories, 227
- British Journal of Surgery*, 379
- British Medical Journal*, 379
- British Shock Committee, 871
- Bronchial injuries, 472–473
- Brooke Formula, Modified, 524
- Brown-Sequard syndrome, 444
- Bryan-Brown, C.W., 272
- Bunker, J.P., 331
- Bupivacaine, 256–257, 313
See also Local anesthetics
- Burn injuries, 521–538
chemical and electrical, 529–530
definition, 522
early care for, 523–526
evacuation of casualties, 530–531
fluid administration after resuscitation, 530
inhalation injury, 528–529
pathophysiology, 526–527
perioperative considerations, 531–537
and recommended modifications of ATLS, 37
severity, 523
thermal, 75, 96
See also Injuries, mechanisms of; Thermal injuries
- Burrows, L., 334
- Burton, J.R., 711
- Butorphanol, 227
and clinical pharmacology, 297–298
and side effects, 297
- Bywaters, E.G., 710
- ## C
- C-5A, 677
- C-9 Nightingale, 768, 769
- C-130 Hercules, 766, 780
- C-141 Starlifter, 767, 780
- Cachectin, 607
See also Tumor necrosis factor (TNF)
- Caffeine contracture test, 827
- Calcium, 512
abnormalities, in ARF, 731
and local anesthetics, 305
See also Excitation-contraction coupling pathway; Hypocalcemia
- Caloric requirements
in stressed patients, 561
- Calverley, Roderick, 866
- Cameron, J.S., 744
- Camino Laboratories, 393
- Candida*
See also Fungal infection
- Cannabis, 863
- Cannon, Walter B., 871, 872
- Cannulation
arterial, sites of, 107
- Capnography, 110–111, 695–696
- Carafate, 650
- Carbohydrates
See Metabolites
- Carbon dioxide-absorbent granules, 158–159, 161, 162, 163
- Carbon dioxide absorber, 158–160
- Carbon dioxide-response curve
and potent inhaled agents, 203, 204
- Carbon monoxide intoxication
and inhalation injury, 528
- Carded for record only, 13, 14
- Cardiac contusions, 468–469
- Cardiac index, 611
with sepsis/SIRS, 633
- Cardiac rupture, 469
- Cardiac tamponade, 466–468
- Cardiopulmonary resuscitation
and systemic hypothermia, 801–803
- Cardiovascular disease
and evacuation complications, 777
- Cardiovascular system
and barbiturates, 214
and benzodiazepines, 221–222
and blood pressure, 106–109
and droperidol, 223
and electrical injury, 529
and electrocardiography, 109
and established multiple organ failure, 649–650
and etomidate, 216
and evacuation complications, 777
and hemorrhage, 82–83
and hypothermia, 792–794, 795–796
and ketamine, 218–219
and local anesthetic toxicity, 310–312
management of, after spinal cord injury, 411
and mechanical ventilation effects, 683–684
and monitoring, 106–109
and morphine, 295–296
and oculocardiac reflex, 432–433
and opioid agonist drugs, 224
and potent inhaled agents, 204–205
and regional anesthesia, 260
and response to sepsis/SIRS, 611–614
and scopolamine, 222–223
and secondary pain manifestations, 293
and spinal cord injury, 400–403
and thiopental, 66
and transesophageal echocardiography, 109
and uremic pericarditis, 738
See also Chest injuries; Thoracic injuries
- Casualty
definition, 2
- Casualty care decision tree, 34
- Casualty density, 33
- Catabolic index, 566
- Catabolic state, 546
See also Metabolic derangements and nutritional support

- Catheters
 - endotracheal, 873
 - and evacuation, 780
- Celiotomy, staged, 493
- Cell Saver 4, 88
- Cellular injury
 - and ARF, 715–716
- Cellular and subcellular components and mechanisms and SIRS/MODS, 603–604, 605–607
- Central nervous system
 - and barbiturates, 214
 - and benzodiazepines, 221
 - and droperidol, 223
 - and etomidate, 215
 - and hypothermia, 792
 - and ketamine, 218
 - and local anesthetic toxicity, 310
 - monitoring, 111–112
 - and opioid agonist drugs, 224
 - and potent inhaled agents, 203–204
 - and scopolamine, 222
 - and toxic injury, 841
 - See also* Neurological injuries
- Central venous pressure, 108–109
- Cerebral blood flow monitoring, 393
- Cerebral wounds
 - and nitrous oxide, 869
 - See also* Face and neck injuries; Neurological injuries
- Cervical spine injuries, 443–445
 - and airway-management issues, 73–74
 - blunt, management of, 444–445
 - evaluation of, 444
 - and spinal cord injuries, 443–444
 - and vertebral injuries, 443
 - See also* Face and neck injuries; Neurological injuries; Thoracic injuries
- Champion, H., 743
- Chan, V., 743
- Chemical agent monitors (CAMs), 839–840
- Chemical and biological protective shelter (CBPS), 135–137
- Chemical and electrical burns, 529–530
 - See also* Anesthesia for casualties of chemical warfare agents
- Chemical warfare
 - and pulmonary insufficiency, 672–673
 - See also* Anesthesia for casualties of chemical warfare agents
- Chemically contaminated casualties
 - and resuscitating combat casualties, 97
 - See also* Anesthesia for casualties of chemical warfare agents
- Chemiosmotic theory, 544
- Chest injuries
 - and evacuation complications, 776
 - and medical outcome, 20–21
 - See also* Thoracic injuries
- Chest radiography, 698
 - in sepsis/SIRS, 627
- Chest surgery
 - in World War I, 870
 - See also* Thoracic injuries
- Children
 - and anesthesia, 862
- Chisolm, J.J., 862–863
- Chloroform, 860–861
 - apparatus, 864, 867
 - discredited, 878
 - and ether, 867; and shock, 869
 - See also* Anesthesia; Anesthetics
- Chloroprocaine, 257
 - See also* Local anesthetics
- Choking agents
 - and pulmonary insufficiency, 673
 - See also* Anesthesia for casualties of chemical warfare agents
- Chromium, 572
- Chromosome 19-linked defect
 - and malignant hyperthermia, 825
 - See also* Genetic factors
- Chronic hypothermia, 792
 - See also* Hypothermia; Systemic hypothermia
- Churchill, Edward D., 322
- CIBA Corning Diagnostics, 110
- Circulatory system
 - management of, after head injury, 396
 - and regional anesthesia, 260–261
 - in spinal cord, 403
- Circulatory system, cerebral
 - and head injury, 385–386
 - and intensive care unit management, 391
- Civilian experience
 - and ARF, 713
 - and evacuation priorities, 761–763, 766
 - and helicopter checklist, 764
 - and medical problems during evacuation, 777
 - and sepsis/SIRS/MODS, 599–600
 - and Trauma Score, 761, 762–763
 - and triage decision scheme, 765
- Civilian practice, good
 - principles of, 336
- Claymore mine, 9
- Clean anesthesia machine, 815–816
- Clemmer, T.P., 763
- Clinical syndrome of malignant hyperthermia
 - See* Malignant hyperthermia, clinical syndrome
- Clinical use
 - of barbiturates, 215
 - of droperidol, 223
 - of etomidate, 216
 - of ketamine, 219–221
 - of local anesthetics, 256, 258
 - of propofol, 217
 - of scopolamine, 223
- Closed brain injury, 382
 - See also* Neurological injuries
- Closed-circuit anesthesia, 104–105, 175–185
 - and oxygen and positive-pressure ventilation, 177–179
 - and potent volatile anesthetics, 179–184
 - during World War II, 878, 881
 - See also* Anesthesia; Anesthetics; General anesthesia; Inhalational anesthesia
- Closed head injury, 376, 378, 386
 - See also* Neurological injuries
- Clostridium difficile*
 - and pseudomembranous colitis, 583
 - and sepsis/SIRS/MODS, 604
 - See also* Bacterial diseases; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Clover, Joseph T., 863, 864, 866
- Coagulation
 - disseminated intravascular, 328, 623
 - and established multiple organ failure, 651
 - monitoring, 105–106
 - See also* Hematological derangements; Hemodynamic derangements; Hemorrhage; Hemostasis and coagulation
- Cocaine, 257, 302, 312–313, 861, 863, 878
 - See also* Local anesthetics
- Coexisting disease
 - with abdominal injuries, 484

- Cold War, 884
- Colloid solutions, 91, 630–631
for burn casualties, 530
and head injury casualties, 389
for resuscitation, 91
- Colon
as injury site, 489–492
See also Abdominal injuries; Intraperitoneal injuries
- Colton, Gardner Q., 863
- Combat anesthesia overview, 43–53
and battlefield medical environment, 44–46
and expanded role of practitioners, 31, 47–53
See also Anesthesia; Combat trauma overview
- Combat injury
and medical outcome, 13–31
nature of, 6–13
See also Nature of combat injury
- Combat trauma overview, 1–39
anesthesiologist and combat casualty care, 31–38
attrition in war, 2–6
medical outcome of combat injury, 13–31
nature of combat injury, 6–13
- Communications zones
corps and, 763–768
- Comorbidity
See Coexisting disease
- Compartment syndrome
and extremity injuries, 507–508
- Complement cascade, 677
and sepsis/SIRS/MODS, 610, 610–611
- Component therapy
vs whole blood, 324–325
- Computer models
and attrition, 4
- Computerized tomography
in sepsis/SIRS, 628
- Computers in anesthesia, 113
- Concentration and dosage
of potent volatile anesthetics, 181–182
- Concentration effect, 198, 201
- Condon, Brian F., 886, 893
- Condor Squadrons, 754
- Conduction, 790
- Conger, J.D., 711, 743
- Contamination, chemical, 97
See also Anesthesia for casualties of chemical warfare agents
- Continuous arteriovenous hemodiafiltration (CAVH-D), 735–736
- Continuous arteriovenous hemofiltration (CAVH), 735
- Contract nurses, 865
- Contraindications
for barbiturates, 215
for droperidol, 223
for etomidate, 216
for ketamine, 219
for propofol, 217
for scopolamine, 223
- Controlled mechanical ventilation (CMV), 687
- Convection, 790
- Copper, 572
- Core temperature, 789
- Corneal abrasion, 432
- Coronary artery injuries, 469–470
- Corps and communications zones, 763–768
- Corpsmen
See Personnel
- Corticosteroids
for sepsis/SIRS/MODS, 642–643
- Cotton and Boothby, 869
- Courington, Frederick, 866
- CRAMS (circulation, respiration, abdomen, motor, speech)
scale, 763
- Creatinine-Height Index, 585
- Cricothyroidotomy, 68, 69, 449
- Crile, George W., 253, 866–867, 868, 870, 872
- Crimean War, 753, 861
- Critical temperature, 149
- Crystalloid solutions, 630
for resuscitation, 89–91
- “Culture-negative sepsis,” 647
- Curare, 879
See also Recurarization
- Curling, T.B., 526
- Curling’s ulcers, 526, 532
- Cushing, Harvey, 379, 380, 384
- Cushing phenomenon, 384
- Cutaneous side effects
of morphine, 296
See also Dermatological manifestations; Skin
- Cutoff effect
in general anesthetics, 189–190, 192
- Cutting, R.T., 28
- Cyanide, 673
See also Blood agents
- Cyclooxygenase inhibitors
for sepsis/SIRS/MODS, 643
- Cyclopropane, 873
- Cytokines
and sepsis/SIRS/MODS, 607
- Cytomegalovirus (CMV)
and transfusion, 333

D

- Damage control
in casualties with severe injuries, 493–494
- Daniels, John Chase, 886
- Dantrolene therapy
for hyperthermia, 819
- Data collection
on burn injuries, 523–524
See also Computers in anesthesia
- Davis, R.F., 723
- Davy, Humphry, 857, 858
- De Mooy, Surgeon General (Dutch), 754
- Dead space, 696
- Death
early, 16, 601
immediate, 16, 601
late, 16, 601
See also Mortality
- DeBaakey, M.E., 10
- Debridement, 506
- Decontamination
selective, of gut, in sepsis/SIRS, 640–641
and toxic agents, 839–840
- Decubitus ulcers
after spinal cord injury, 413
- “Deep sulcus sign,” 627, 698
- Deep venous thrombosis and pulmonary embolism, 508–510
diagnosis, 509
prophylaxis, 510
treatment, 509–510
- Defense Medical Standardization Board, 122
- Deferoxamine, 529
- Defibrillator
See Equipment; Monitors

- Degenerate theory, 193
- Dehydration
 - and resuscitation, 95
- Delayed primary closure, 506
- Demerol, 225
 - See also Meperidine
- Dentists
 - in anesthetic service, 867
 - See also Personnel
- Dependence
 - on morphine, 296
- Deployable hospitals, 115–139
 - deployable anesthesia equipment, 123–126
 - DEPMEDS-equipped hospitals, 126–131
 - history of deployable medical systems, 119–123
 - and Medical Force 2000, 134–138
 - in the Persian Gulf War, 132–134
- Deployable medical systems, 119–123
 - and ARF, 713
- DEPMEDS (Deployable Medical Systems), 119, 713
- DEPMEDS-equipped hospitals, 126–131
 - ancillary support areas, 130–131
 - patient care areas, 127–130
- DEPMEDS Policies/Guidelines Treatment Briefs, 122–123
- Depolarization block, 236
 - and pyridostigmine, 849
 - See also Succinylcholine chloride
- Depolarizing muscle relaxant
 - See also Succinylcholine chloride
- Dermatological manifestations
 - and morphine, 296
 - of sepsis/SIRS, 623
 - and toxic injury, 840
 - See also Cutaneous side effects; Skin
- Desflurane, 194, 195, 197–198
 - See also Anesthetics; Inhalational anesthesia; Military anesthesia machines
- Detection
 - of toxic agents, 839–840
- Dextran, 91
 - See also Resuscitation fluid selection
- Dezocine
 - and clinical pharmacology, 298
- Diagnosis
 - in abdominal trauma and war surgery, 482
 - of ARF, 716, 717–719
 - of fat embolism syndrome, 511, 512
 - of malignant hyperthermia, 819
 - of neurological manifestations from sepsis/SIRS, 618–619
 - of oliguria, acute, 716
 - of pulmonary embolism, 509
 - of respiratory failure, 680–682
 - of sepsis/SIRS, 623–629
 - of thoracic injuries, 459, 464–475
- Diagnosis and monitoring of patients with sepsis/SIRS, 623–629
 - bedside monitors, 625–627
 - hematological evaluation, 624
 - microbiologic evaluation, 624–625
 - radiological procedures, 627–628
 - surgical reexploration, 628–629
- Diagnostic peritoneal lavage (DPL), 482
- Dialysis
 - approaches, 731–736
 - and ARF, 731–736, 736–741
 - and circulatory access, 732
 - and complications, 739–740
 - conventional hemodialysis, 731–734
 - equipment and support, 734
 - frequency, 741
 - goals, 736
 - and hemofiltration, 735–736
 - and hypercatabolism, 739
 - and hyperkalemia, 730, 738
 - indications, 736–739
 - management, 736–741
 - and metabolic acidemia, 737–738
 - peritoneal dialysis, 734–735
 - and practical aspects, 740–741
 - and sorbent-based delivery system, 732–734
 - timing, 741
 - and uremia, 738–739
 - and volume overload, 737
 - See also Acute renal failure (ARF)
- Diaphragm
 - as injury site, 493
 - traumatic rupture, 473–475
 - See also Intraperitoneal injuries
- Diarrhea, 583–584
- Diazepam, 221
 - See also Benzodiazepines
- Died of wounds, 14–16, 28, 601
 - See also Mortality
- Diet
 - See Nutritional support
- Diffuse brain injury, 382
- Diprivan, 216
 - See also Propofol
- Disease transmission
 - and transfusions, 331–334
- Dissociative anesthesia, 217
- Distribution
 - of local anesthetics, 309
- Diuretics
 - in ARF therapy, 728
 - for burn casualties, 530
 - loop and osmotic, 722
- Divinyl oxide, 873
- Domestic aeromedical evacuation system, 768–771
 - and U.S. Air Force patient classification, 770
- Don B. Hickon, Inc., 37
- Dopamine, 722, 723
- Dosage
 - definition, in potent volatile anesthetics, 179
 - See also Concentration and dosage
- Double-burst stimulation, 239
- DRASH (deployable rapid assembly shelter) tents, 136
- Dripps, Robert D., 883
- Droperidol, 223
 - and clinical pharmacology, 298
 - clinical use and contraindications, 223
 - physiological effects, 223
- Drug and alcohol abuse
 - and medically safe evacuation, 779
- Drug effects
 - on intraocular pressure, 429
- Drug interactions
 - and complications of neuromuscular blockade, 246
 - and eye injuries, 431
 - between pyridostigmine and general anesthetics, 848
- Drugs
 - interventions to prevent ARF, 721–724
 - See also Anesthesia; Anesthetics; Drug and alcohol abuse; Drug interactions; Medications; Pharmacology
- Du Pont Multi-Source Products, 227
- Dunant, Henri, 288
- Duodenum

- as injury site, 488
 - See also* Retroperitoneal injuries
 - Dupaco Hemokinitherm Fluid Warmer, 799
 - Dyscrasia, platelet
 - and sepsis/SIRS, 622–623
- E**
- Echelons of care
 - and airway management, 58, 68
 - and blood transfusion practices, 342–344, 344–351, 351–354, 362–363
 - and laboratory procedures, 131
 - and monitors, 102–105
 - and trauma management function, 32
 - Echocardiography
 - in sepsis/SIRS, 626–627
 - transesophageal, 109
 - Education of personnel
 - on blood and blood products, 51
 - before and after deployment, 47–49, 49–51
 - for dialysis technicians, 734
 - during Korean War, 882–883, 884
 - in Persian Gulf War, 361
 - and readiness, 51–53
 - in use of military anesthesia machines, 143, 170–171
 - during Vietnam War, 885
 - during World War I, 867, 871, 872
 - during World War II, 874, 881
 - between World Wars, 873
 - Edwards/Baxter, 573
 - Eicosanoids
 - and sepsis/SIRS/MODS, 607–609
 - Electrical burns
 - See* Chemical and electrical burns
 - Electrocardiography, 109
 - Electroencephalographic monitoring, 393
 - See also* Monitoring; Monitors
 - Electrolytes
 - and head trauma, 397–398
 - and hypothermia, 796
 - and managing imbalance in ARF, 730–731
 - after spinal cord injury, 413
 - Elimination
 - of local anesthetics, 309
 - Embolic phenomena
 - See* Thrombotic and embolic phenomena
 - Emergence
 - with burn casualties, 537
 - with open eye injuries, 431
 - Emergence reaction, 218, 219, 220
 - Emergency War Surgery NATO Handbook*, 35, 523, 525
 - Emotional support
 - after spinal cord injury, 413
 - Emphysema
 - See* Adult respiratory distress syndrome (ARDS)
 - En seton* gunshot wound, 503
 - Encephalography, 112
 - Endocrine system
 - and regional anesthesia, 261
 - and responses to trauma, 294
 - and secondary pain manifestations, 294
 - Endocrinological responses
 - to sepsis/SIRS, 619
 - Endogenous mediators
 - and sepsis/SIRS/MODS, 607–611
 - “Endogenous pyrogen,” 555
 - Endorphins
 - and sepsis/SIRS/MODS, 609
 - Endotoxins, 604, 605
 - See also* Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
 - Endotracheal, catheter, 873
 - Endotracheal intubation
 - and managing respiratory failure, 682–683
 - See also* Intubation
 - Eneas, F., 721
 - Energy requirements
 - and injuries and infection, 561–564
 - and stores, 546
 - See also* Metabolic derangements and nutritional support
 - Energy transfer, 9
 - Enflurane, 194, 195, 196
 - See also* Anesthetics; Inhalational anesthesia; Military anesthesia machines
 - Enteral nutrition, 527, 579–584
 - and delivery, 582–583
 - and diarrhea, 583–584
 - and feeding tolerance, 583
 - and feeding tube access, 582–583
 - and feeding tube maintenance, 584
 - formulations, 580–582
 - monitoring, 583
 - oral supplements, 580–581
 - and surgical access, 582
 - See also* Gastrointestinal precautions; Gastrointestinal system; Metabolic derangements and nutritional support
 - Enterobacter* species, 603
 - See also* Bacterial diseases; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
 - Eosinophils
 - and sepsis/SIRS, 621
 - Epidemiology
 - aspects of, in pain study, 289
 - of respiratory failure, 669
 - See also* Epidemiology of sepsis/SIRS/MODS
 - Epidemiology of sepsis/SIRS/MODS, 598–611
 - cellular components contributing to sepsis/SIRS/MODS, 605–607
 - cellular and subcellular mechanisms leading to sepsis/SIRS/MODS, 603–604
 - civilian experience, 599–600
 - endogenous mediators, 607–611
 - microorganism components and products that give rise to sepsis/SIRS/MODS, 604–605
 - military experience, 600–601
 - trauma-related sepsis and septic shock, 601–603
 - traumatic injury, 601
 - Epidural route
 - and analgesic drugs, 315
 - Epinephrine
 - with local anesthetics, 309
 - Epstein-Barr virus
 - and transfusion, 333
 - Equipment
 - for airway management, 59–61
 - and chloroform, 864
 - DEPMEDS, 122
 - for dialysis, 734
 - for emergency airway management, 406
 - during Korean War, 883–884
 - for physiological monitoring, 103
 - for potent volatile anesthetics, 182–183
 - and readiness, 51–53
 - required for evacuation, 779
 - resuscitation, 123

- surgical, 117
- for treatment of malignant hyperthermia, 814–815
- during Vietnam War, 886–892
- during World War I, 867–871
- during World War II, 117, 875–878
- See also Military anesthesia machines; Monitors; Physiological monitoring; Ventilators for combat use
- Erythrocytes
 - and sepsis/SIRS, 621–622
- Erythroxylon coca*, 302
- Escherichia coli*, 603, 622
 - See also Bacterial diseases; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Esophageal injuries
 - with face and neck injuries, 442–443
- Esters
 - selection, 312–313
- Ethers, 193
 - and ethylene, 873
 - open-drop, 878
 - and shock, 872
 - sulfuric, 860
 - during World War II, 877
 - See also Anesthesia
- Ethical dilemmas in limited life-sustaining therapy, 685
- Ethyl chloride, 863, 870, 878
- Ethylene, 861
 - and ether, 873
- Etidocaine, 257, 313
 - See also Local anesthetics
- Etiology
 - of established multiple organ failure, 647–648
 - of pulmonary insufficiency, 669–673
 - of respiratory failure, 668
- Etomidate, 215–216
 - and airway management, 73
 - with burn casualties, 534
 - clinical use and contraindications, 216
 - dose regimen, 215, 228
 - pharmacology, 215
 - physiological effects, 215–216
 - used as total intravenous anesthetic, 230
- Evacuation
 - of burn casualties, 530–531
 - checklist, 531
 - nature of scheme, 45
 - and neurological injuries, 778
 - and recommended modifications of ATLS, 37–38
 - during Vietnam War, 885–886
 - during World War II, 879
 - See also Military medical evacuation; Transport
- Evaluation
 - and airway management, 58–59
 - of cervical spine injuries, 444
 - and spinal cord injury, 404
 - of susceptibility to malignant hyperthermia, 826–827
 - See also Assessment
- Evaporation, 790
- Evita, 687
- Evoked potentials
 - and cerebral monitors, 392–393
 - sensory, 112
 - somatosensory, 408
- Excitation-contraction coupling pathway
 - in malignant hyperthermia, 823–825
- Exercise
 - and metabolism, 549–551
 - and starvation and stress, 551–553
 - See also Metabolic derangements and nutritional support
- Exhaled volume monitoring, 696
- Experimental drugs
 - to prevent ARF, 722, 723–724
- Extracellular fluids
 - and hemorrhage, 84
 - reduced, and ARF, 714
 - and volume replacement, 335–336
- Extremity injuries, 499–515
 - and anesthetic management, 513–515
 - complications, 507–513
 - injury patterns, 500
 - intraoperative monitoring, 515
 - and medical outcome, 22
 - nature of, in combat casualties, 501–507
 - and recommended modifications of ATLS, 37
 - and regional anesthesia, 513–514
- Eye injuries, 425–433
 - and airway-management issues, 74
 - anesthetic management of open eye injuries, 429–431
 - drug effects on intraocular pressure, 429
 - drug interactions, 431
 - and evacuation complications, 778
 - eye anatomy and physiology, 426–428
 - perioperative ophthalmic complications, 432–433
 - and toxic injury, 841
 - See also Face and neck injuries, ocular injuries; Ocular injuries

F

- Face masks, 60, 873
- Face and neck injuries, 437–452
 - airway management, 446–449
 - cervical spine injuries, 443–445
 - facial fractures, 440–441
 - neck injuries, 441–443
 - neurological injuries, 445–446
 - ocular injuries, 446
 - perioperative anesthetic management, 449–451
 - See also Airway management; Neurological injuries
- Facial fractures, 440–441
 - mandibular fractures, 440
 - maxillary fractures, 440–441
 - nasal fractures, 440
 - zygomatic fractures, 441
 - See also Face and neck injuries
- Fading, Howard D., 882
- Falklands War
 - and evacuation air base, 755–756
 - and ketamine, 219
- Faraday, Michael, 857
- Fat embolism syndrome, 510–513
 - diagnosis, 511, 512
 - laboratory changes, 512
 - pathophysiology, 510–512
 - prognosis, 513
 - treatment, 512
- “Fatigue poisons,” 554
- Fatigue and sleep lag
 - and biophysical effects, 775
- Fats
 - See Lipids; Metabolic derangements and nutritional support; Metabolites
- Febrile reactions
 - and transfusions, 335
- Feeding tolerance, 583

- Feeding tube
 - and access, 582–583
 - and diarrhea, 583
 - and maintenance, 584
 - and placement, 583
 - Fentanyl, 224, 225–226
 - as adjuvant to inhalational anesthesia, 229
 - and clinical pharmacology, 296–297
 - with droperidol, 223
 - and side effects, 297
 - Fenton reaction, 715–716
 - Ferguson, J., 188–189
 - Ferguson's rule, 189
 - Fiberoptic laryngoscope, 68, 72
 - Fibronectin
 - and nutritional repletion, 585
 - and sepsis/SIRS, 610
 - Field anesthesia, 205–206
 - Field anesthesia chest, 892
 - Field Anesthesia Machine (FAM) Model 785, 142
 - See also* Equipment; Military anesthesia machines
 - Field Anesthesia Machine (FAM) Model 885A, 142, 143–165, 176
 - attaching medical gas supply, 149–151
 - breathing circuit, 158–163
 - checkout and maintenance, 163–165
 - flowmeters, 154–155
 - and future recommendations, 170–171
 - lower case, 143–148
 - pipeline circuits, 151–154
 - upper case, 148, 149
 - vaporizer, 155–158
 - See also* Equipment; Military anesthesia machines
 - Finn, W.F., 713
 - Flail chest, 464–465, 669–670
 - See also* Blunt injury
 - Fluid administration for burn casualties, 530
 - colloids, 530
 - diuretics, 530
 - hypertonic saline, 530
 - Fluid compartment shifts
 - and hemorrhage, 83–84
 - Fluid imbalance
 - and head trauma, 397–398
 - Fluid management, intraoperative
 - with burn casualties, 536
 - See also* Hypovolemia; Military transfusion practice; Transfusion therapy
 - Fluid resuscitation
 - of burn casualties, 524
 - in deployable facilities, 126
 - for sepsis/SIRS, 629–631
 - See also* Hemorrhage, shock, and fluid resuscitation
 - Fluid therapy
 - for ARF, 728
 - Fluid warmers, 799
 - Fluroxene, 194
 - Focal brain injury, 382
 - Foregger machine, 883
 - See also* Equipment; Military anesthesia machines
 - Forward Surgical Team (FST), 135–137
 - Fracture stabilization
 - during aeromedical evacuation, 782
 - Franco-Prussian War
 - and evacuation, 754
 - Free radicals
 - and inhalation injuries, 529
 - oxygen, 383, 554
 - and sepsis/SIRS/MODS, 609–610
 - Free radical scavengers
 - and ARF protection, 723
 - and spinal cord protection, 410
 - Freeman, N.E., 874
 - Frequency-dependent blockade
 - and local anesthetics, 305–306
 - "Friendly fire," 2
 - Fry, D.E., 644, 647
 - Fulminant malignant hyperthermia, 812–813, 817–819
 - Fungal infection
 - and therapeutic modalities, 639
 - See also* Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
 - Furosemide, 722
- ## G
- Gallego, A., 743
 - Gangrene, gaseous
 - and nitrous oxide, 869
 - See also* Anesthesia for casualties of chemical warfare agents
 - Garcia-Martin, F.A., 743
 - Garrison, R.N., 647
 - Gas anesthesia, 874
 - See also* Medical gas
 - Gas exchange, abnormal
 - and pathophysiology, 678
 - Gas-exchange indices
 - monitoring, 693–694
 - Gas warfare casualties
 - and anesthesia, 870
 - See also* Anesthesia for casualties of chemical warfare agents
 - Gaseous gangrene
 - and nitrous oxide, 869
 - See also* Anesthesia for casualties of chemical warfare agents
 - Gases, dissolved
 - and acid-base balance, with hypothermia, 796–797
 - Gastrointestinal precautions
 - with burn casualties, 525–526
 - Gastrointestinal reconstruction, delayed, 493
 - Gastrointestinal system
 - and complications after spinal cord injury, 412
 - and established multiple organ failure, 650–651
 - and head trauma, 397–398
 - and hypothermia, 796
 - and morphine, 296
 - and NSAIDs, 301
 - and regional anesthesia, 261
 - and secondary pain manifestations, 293–294
 - General anesthesia
 - characteristics of true agent, 188
 - and extremity injuries, 514–515
 - for face and neck injuries, 450–451
 - and pyridostigmine pretreatment, 847–850
 - vs regional anesthesia, 253
 - See also* Anesthesia; Anesthesia for casualties of chemical warfare agents; Anesthetics; Closed-circuit anesthesia; Inhalational anesthesia; Intravenous anesthesia
 - General anesthetics
 - and cutoff effect, 189–190
 - and lack of structural specificity, 188–189
 - and pressure reversal, 190
 - and stereoselectivity, 190
 - Genetic factors
 - and malignant hyperthermia, 822, 825, 826

Genitourinary system
and complications after spinal cord injury, 413
See also Urinary system

George Washington University Hospital, Critical Care
Medicine group, 644, 647

Gillum, D.M., 743

Glasgow Coma Scale, 73, 445, 763

Glasgow coma score (GCS), 387–389

Glasgow outcome scale (GOS), 387–389

Glaucoma, acute angle-closure, 432

Glomerular filtration, decreased
and ARF, 714–715

Glottic injuries

See Airway management

Glucagon, 546, 548

Glucocorticoids

and spinal cord protection, 409–410

Glucose, 546

phases of homeostasis, 550

serum, and hypothermia, 796

Glycine

working as neurotransmitter, 190

Glycogen, 548

Glycopyrrolate, 222, 532

G_{MI} ganglioside

and spinal cord protection, 410

“Golden hour”

absence of, in combat trauma, 16–17

in evacuation, 756, 779

Gormican, S.P., 763

Grande, C.M., 31

Grantham, J.J., 743

Gravitational forces

and biophysical effects, 774

Great vessel injuries, 470–471

Great War

See World War I

Ground evacuation, 759–760

See also Military medical evacuation

Guedel, Arthur, 867

Gum acacia, 871

Gut decontamination, selective

in sepsis/SIRS, 640–641

Gwathmey, James Tayloe, 866, 868, 869, 870

H

Haber-Weiss reaction, 715–716

Haemonetics Corp., 124

Haiti

evacuation scheme, 45

Halothane, 157, 194–195, 886

See also Anesthetics; Inhalational anesthesia; Military
anesthesia machines

Halothane contracture test, 827

Halsted, William Stewart, 863, 868

Hamman’s sign, 472

Hampton’s hump, 698

Hannibal, 4, 752, 788

Hartmann’s pouch, 492

Head injuries

and airway-management issues, 72–73

in combat, 376–378

and hemorrhagic shock, 96–97

and medical outcome, 18–20

and resuscitating combat casualties, 96–97

See also Face and neck injuries; Neurological injuries

Head trauma

and medical complications, 397–398

and recommended modifications of ATLS, 36–37

See also Face and neck injuries; Neurological injuries

Health Service Support Tenets, 119

Heat conservation

in normal thermoregulation, 790, 791

Heat gain

estimated sources, 799

Heat loss

in normal thermoregulation, 790, 791

See also Hypothermia; Systemic hypothermia; Temperature
regulation

Heat production

in normal thermoregulation, 789–790, 791

Heaton, Leonard D., 322

Heatpac Personal Heater, 800

Heidbrink military model 685, 876, 878

See also Equipment; Military anesthesia machines

Heisenberg’s principle, 182

Helicopter evacuation, 758–759, 760–761

and civilian checklist, 764

See also Military medical evacuation

Hematocrit

in burn casualties, 536

and transfusion therapy, 326

See also Hematological derangements

Hematological and coagulation defects

and sepsis/SIRS, 620–623

See also Hemostasis and coagulation

Hematological derangements

and burn injuries, 527

and evacuation complications, 778

in fat embolism syndrome, 512

and nuclear warfare, 673

See also Hemostasis and coagulation

Hematological effects

of hypothermia, 796

of NSAIDs, 301

See also Hematological derangements

Hematological evaluation

and evacuation complications, 778

of sepsis/SIRS, 624

Hemochron system, 106

Hemodialysis, conventional, 731–734

See also Dialysis

Hemodynamic derangements

and burn injuries, 527

See also Hemostasis and coagulation

Hemodynamic monitoring, 698

Hemofiltration, 735–736

continuous arteriovenous hemodiafiltration (CAVH-D),
735–736

continuous arteriovenous hemofiltration (CAVH), 735

slow, continuous ultrafiltration (SCUF), 735, 736

Hemoglobin

and evacuation complications, 778

with sepsis/SIRS, 633

and transfusion therapy, 326

Hemolytic transfusion reactions, 334–335

Hemopheresis, 359

Hempneumothorax, 669

See also Acute respiratory failure and ventilatory manage-
ment

Hemorrhage, 82–85

and cardiovascular response, 82–83

estimation of, 85

- and extracellular fluid loss, 84
- and fluid compartment shifts, 83–84
- and oxygen transport, 84–85
- See also* Blood loss; Hematological derangements; Hemodynamic derangements; Hemostasis and coagulation
- Hemorrhage, shock, and fluid resuscitation, 81–97
 - hypovolemia, 85–89
 - physiological consequences of hemorrhage, 82–85
 - related conditions in combat casualties, 95–97
 - resuscitation fluid selection, 89–92
 - supplemental therapeutic measures, 92–95
- Hemorrhagic shock
 - and compensatory response, 83
 - and head injury, 96–97
 - and resuscitating combat casualties, 96–97
 - and scopolamine, 223
- Hemostasis and coagulation
 - and head injury, 385
 - monitoring, 105–106
 - restoration of, 326–329
 - and sepsis/SIRS, 620–623
 - surgical, 329
 - and uremic bleeding disorders, 738–739- See also* Cardiovascular system; Hematological derangements; Hemodynamic derangements; Hemorrhage; Military transfusion practice; Transfusion therapy
- HemoTec, Inc., 105–106
- Hemothorax, 669
 - acute traumatic, 465–466
 - See also* Acute respiratory failure and ventilatory management
- Heparin, 105–106, 509
- Hepatic failure
 - and modifications of parenteral nutrition, 577–578
- Hepatic injury
 - severity classification, 486
 - See also* Hepatic failure; Hepatitis; Retroperitoneal injuries
- Hepatic system
 - and established multiple organ failure, 650–651
 - and potent inhaled agents, 205
- Hepatitis
 - and transfusion, 331–332
- Hepcon, 105–106
- Hespan, 91
 - See also* Resuscitation fluid selection
- Hetastarch
 - and sepsis/SIRS, 631
 - See also* Colloid solutions
- Hewitt, Frederick, 866
- Hexoses, 545
- Hickman, Henry Hill, 857
- High-frequency ventilation, 689
- Hill-ROM, 413
- Hinckley, Robert, 859
- Historical trends in combat mortality, 17–18
- History of military anesthesia, 855–893
 - during American Civil War, 862–863
 - discovery, 857–860
 - early analgesics, 856–857
 - during Korean War, 882–884
 - and late 19th-century advancements, 863–865
 - during Mexican War, 860–862
 - in post-Vietnam War era, 892–893
 - during Spanish-American War, 865–866
 - during Vietnam War, 885–892
 - during World War I, 866–872
 - during World War II, 874–882
 - between World Wars, 873–874
 - See also* individual war entries; Combat anesthesia overview; Military medical evacuation, history
- HMMWVs (high-mobility, multipurpose, wheeled vehicles), M996 and M997, 135, 136, 760
- Hormones
 - and stress, 554
 - See also* Metabolic derangements and nutritional support; Stress response
- Hospital ships, 137–138
- Hospitals: combat support, field, and general, 137
 - See also* Deployable hospitals
- Hou, S.H., 719
- Human immunodeficiency virus (HIV)
 - and transfusion, 331, 332–333
 - See also* AIDS
- Humid-Vent Heat-Moisture Exchanger, 781
- Humidifiers
 - and aeromedical evacuation, 781
- Humphreys, M.H., 721
- Hydrostatic pulmonary edema
 - and respiratory insufficiency, 675–676
 - See also* Acute respiratory failure and ventilatory management
- Hypercatabolism, 739
- Hyperkalemia, 730, 738
 - and therapeutic cooling, 820
 - and transfusion, 330–331
- Hypermetabolism, 555
 - and meaning, 615
 - and transition to MODS, 564
 - See also* Metabolic derangements and nutritional support; Sepsis; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Hyperreflexia, autonomic, 444
 - and spinal cord injury, 401–403
- Hyperthermia
 - and resuscitating combat casualties, 95
 - See also* Malignant hyperthermia
- Hypertonic solutions
 - for burn casualties, 530
 - for resuscitation, 91–92
- Hypocalcemia
 - and ARF, 731
 - and transfusion, 330–331
 - See also* Calcium
- Hypodermic syringe, 863, 865
- Hypotension
 - and sodium thiopental, 66
- Hypothermia, 95–96
 - and acid-base balance, 796–797
 - and resuscitating combat casualties, 95–96
 - therapeutic, 94
 - topical, and spinal cord protection, 409
 - and transfusion, 330
 - See also* Systemic hypothermia; Temperature regulation
- Hypovolemia, 85–89
 - blood-salvage techniques, 88–89
 - intraosseous fluid infusion, 89
 - intravenous fluid-delivery systems, 87–88
 - and management, 879–880
 - venous access, 87
 - See also* Blood transfusions; Military transfusion practice; Transfusion therapy
- Hypoxemia, 60
 - and diagnosing respiratory failure, 680–681
 - and flail chest, 464–465
 - and postoperative ventilatory failure, 681–682

during sepsis, 616
See also Oxygen and positive-pressure ventilation
Hypoxia
See Barometric pressure

I

Iatrogenic infection, 112, 612

Ibels, L.S., 720

"ICU ventilators," 687

Identification tags

and blood type, 355–356

and new policy, 363

Immersion hypothermia, 792

Immobilization

of extremity injuries, 506–507

Immunological aberrations

and burn injuries, 527

and sepsis/SIRS/MODS, 619–620

and surgery in immunocompromised patients with sepsis/SIRS, 620

and transfusion, 334

See also Immunosuppression

Immunosuppression

and infection, 619

and malnutrition, 620

and transfusion, 334

and trauma, 619–620

See also Immunological aberrations

Immunotherapy

for sepsis/SIRS/MODS, 641–642

Impact Instrumentation, 702

Impact Uni-Vent Model 750 M, 702, 703–704

Induction agents

and pyridostigmine, 849

See also Induction of anesthesia

Induction of anesthesia, 214–221

and airway device placement, 64–65

and barbiturates, 214–215

in burn casualties, 533–534

in casualties with abdominal injuries, 484

and chemical warfare casualties, 845–846

and compromised airway, 533–534

and etomidate, 215–216

and ketamine, 217–221

with open eye injuries, 430–431

and propofol, 216–217

rapid-sequence, 66

and safety, 46

in thoracic casualties, 462

useful drugs, 214–221

See also Induction agents

Infection

definition, 599

transmission, 331–334

See also Infectious diseases; Sepsis

Infection Control Policy and Procedure Guide, 575, 589–596

See also Infectious diseases

Infectious diseases

and evacuation complications, 778

and head trauma, 397–398

and immunosuppression, 619

and patients' energy requirements, 561–564

See also Bacterial diseases; Fungal infection; Infection; Infection

Control Policy and Procedure Guide; Viral diseases

Inflammatory mediators, 554

Inhalation injury, 528–529

carbon monoxide intoxication, 528

lower-airway injury, 528–529

treatment, 529

upper-airway injury, 528

Inhalational anesthesia, 187–207

anesthesia in the field, 205–206

in burn casualties, 535–536

hypotheses of action, 190–193

ideal agent characteristics, 203

and intravenous adjuvants, 228–229

major organ system effects, 203–205

mechanisms of action, 188–190

modern agents, 194–199

and opioid narcotics, 229

site of action, 193

uptake and distribution, 199–202

See also Anesthesia; Anesthesia for casualties of chemical

warfare agents; Anesthetics; Closed-circuit anesthesia;

General anesthesia; Induction of anesthesia

Inhalational anesthetics, 194–199

desflurane, 195, 197–198

enflurane, 195, 196

halothane, 194–195

isoflurane, 195, 196–197

nitrous oxide, 195, 198–199

and pyridostigmine, 850

sevoflurane, 195, 198

See also Anesthetics; Inhalational anesthesia; Military

anesthesia machines

Inhaler, J.T. Clover, 863

Injuries

mechanisms of, 6–8

and metabolic effects, 553–554

nonbattle, 8

and patients' energy requirements, 561–564

See also Abdominal injuries; Burn injuries; Extremity

injuries; Eye injuries; Face and neck injuries; Metabolic

derangements and nutritional support; Neurological

injuries; Thoracic injuries

Injury severity assessment, 25–28

actual distribution, 27–28

theoretical distribution, 26–27

Injury Severity Score (ISS), 12, 26, 27, 28

Innovar, 223, 887

Inotropic and vasopressor drugs

for sepsis/SIRS/MODS, 635–636

Inspiratory flow rate, 691–692

Inspired oxygen

fraction of, 690–691

Insulin, 546, 547, 548, 578–579

Insulinlike growth factor (IGF-1), 551

Intensity, 5

Intensive care unit

and cardiovascular management, after spinal cord injury, 411

and pain syndromes, after spinal cord injury, 412

and pulmonary management, after spinal cord injury, 411–412

and reasons for neuromuscular blockade, 241

and spinal cord injury management, 407–412

Inter-Allied Surgical Conference, 868–869

Interleukin-1, 554, 555

Interleukin-6, 554, 555

Interleukins

and sepsis/SIRS/MODS, 607

Intermediate hypothermia, 792

Intermittent, mandatory ventilation (IMV), 688

International Red Cross, 288

Intraarterial infusion, 94

Intracranial hypertension

management of, 395–396

- Intracranial pressure monitoring, 111–112, 393–394
- Intraocular pressure
and drug effects, 429
- Intraosseous fluid infusion, 89
- Intraperitoneal injuries, 488–493
diaphragm, 493
liver, 492–493
spleen, 493
stomach, small bowel, and colon, 489–492
- Intrathecal routes
and analgesic drugs, 315
- Intravenous access
in casualties with abdominal injuries, 483–484
and Infection Control Policy and Procedure Guide, 589–596
- Intravenous anesthesia, 211–231
agents for battlefield anesthesia, 212–214
anesthetic agents that produce analgesia, 223–227
anxiolytic and amnesic agents, 221–223
with burn casualties, 534–535
and induction drugs, 214–221
and square-root-of-time kinetics, 183–184
techniques, 227–230
total, 220–221, 229, 230
after World War I, 873
during World War II, 877–878
- Intravenous fluid-delivery systems, 87–88
- Intravenous infusions
and evacuation, 780
- Intubation
complications, in trauma patients, 67
failed, and management, 68–72
of head injury casualties, 388
and managing respiratory failure, 682–683
nasotracheal, 64
with open eye injuries, 430–431
orotracheal, 64–65
tracheal, 447–448
- Inverse-ratio ventilation (IRV), 689
- Iran-Iraq War, 458
and chemical warfare, 835, 836
- Iraq
and chemical warfare, 834, 835
- Iron, 555, 571
- Ischemia
and ARF, 715–716
- Ischemic brain injury, secondary, 382–384
- Isoflurane, 194, 195, 196–197
See also Anesthetics; Inhalational anesthesia; Military anesthesia machines
- J**
- Jackson, Charles Thomas, 857
- Jackson, Stonewall, 863
- Janssen Pharmaceutica Inc., 223, 225, 226
- Jaw injuries
See Face and neck injuries
- Jenicek, John A., 886, 892, 893
- Jet lag
See Fatigue and sleep lag
- Jochimsen, F., 720
- Joint Medical Readiness Training Command, 49
- K**
- “K” teams, 711, 713
- Kaopectate, 583
- Keeler, Jill R., 848
- Kennedy, A.C., 742
- Ketamine, 217–221, 230
and airway management, 73
and burn casualties, 532, 534–535
clinical use, 219–221
contraindications, 219
dose regimen, 215, 228
for major procedures, 220
for minor procedures, 220
for pediatric anesthesia, 221
pharmacology, 217–218
physiological effects, 218–219
as total intravenous anesthetic, 220–221, 230
transport, 220
during Vietnam War, 887
- Kevlar helmets, 377
- Kidneys
as injury site, 487–488, 489
See also Acute renal failure; Retroperitoneal injuries
- Killed in action, 14, 28, 601
in Vietnam War, 15
See also Mortality
- Kin-air R beds, 413
- Kinetics
See Pharmacokinetics; Square-root-of-time kinetics
- King-Seeley Thermos Co., 798
- Kinney, Dita H., 865
- Klebsiella* species, 603, 622
See also Bacterial diseases; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Kleinknecht, D., 742
- Knepshield, J.H., 711
- Korean War
and aeromedical evacuation, 758
and ARF, 711
and burn casualties, 522
and military anesthesia, 882–884
and mortality from abdominal wounds, 480
and transfusion practice, 345–346, 357, 883
- Krugman, Saul, 332
- Kussmaul’s sign, 468
- L**
- Lactic acidosis, 635
- Laparotomy, abbreviated
and planned reoperation, 493
- Larrey, Baron Dominique-Jean, 753, 754, 758, 789
- Laryngeal injury
and airway management, 74–75
See also Airway management; Face and neck injuries
- Laryngeal mask airway (LMA), 68–71
- Laryngoscope, fiberoptic, 68, 72
- Le Fort fractures, 440–441
- Lee, H.A., 726
- Lethality, 10
- Letterman, Jonathan, 753, 758, 862
- Leukocyte interactions
and sepsis/SIRS, 621
- Leukotrienes, 290, 291, 383
and sepsis/SIRS/MODS, 608
- Level 1 Fluid Warmer, 799
- Level 1 infusion system, 87
- Liano, F., 743
- Lichtmann, Manfred (“Dutch”), 885, 886, 888, 889
- Lidocaine, 257, 313
and airway management, 73

See also Local anesthetics
Lien, J., 743
Life support
 and ethical dilemmas, 685
Lifecare Corporation, 702
Lifecare PLV-100, 687, 702, 703
Lifecare PLV-102, 687, 702, 703
Lifescan Monitor, 112
Lightwand, 68, 72
Lindner, A., 722
Lipids, 546
 See also Metabolic derangements and nutritional support; Metabolites
Lipid hypotheses of inhalational anesthetic action, 190–192
 “lipid-phase-transition” hypothesis, 190–192
 “membrane-disordering” hypothesis, 190, 191, 192
Lipid-protein interaction hypothesis
 of inhalational anesthetic action, 191, 192–193
Lister, Joseph, 863
Liver
 as injury site, 492–493
 See also Hepatic injury; Intraperitoneal injuries
Local anesthetics, 254–259
 and actions on nerve fibers, 306–307
 and adverse reactions, 257–259
 and allergy, 312
 amides, 303, 313
 chemical and physicochemical properties, 254–256, 302–304
 and clinical pharmacology, 302–312
 clinical use, 256, 258
 and differential blockade, 307
 and dosage, 311
 with epinephrine, 309
 esters, 303, 312–313
 and frequency-dependent blockade, 305–306
 individual drug properties, 256–257
 and ionization, 304
 and lipid solubility, 302
 and mode of action, 304–305
 and pharmacokinetics, 307–309
 and physiology of neural blockade, 256
 and protein binding, 304
 and receptor sites, 306
 selection, 312–313
 and toxicity, 310–312
 See also Local and regional anesthesia; Regional anesthesia
Local and regional anesthesia
 for face and neck injuries, 450
 and intravenous adjuvants, 229–230
 during World War II, 878
 See also Local anesthetics; Regional anesthesia
Locomotion
 and regional anesthesia, 261
Logistics and operations, 759–771
 of air ambulance, 761
 of air evacuation, 760–761
 organization of, by U.S. Army, 760–761
 and corps and communications zones, 763–768
 and domestic aeromedical evacuation system, 768–771
 and evacuation priority assignments, 761–763
 of ground evacuation, 759–760
 and pace, 45
 during Persian Gulf War, 44
 and support, 44
Lohr, J.W., 743
Long, Crawford W., 857, 859
Look-Back Program, 333
Lordon, R.E., 711

Lower, William E., 253
Lundberg, Nils, 395
Lundberg waves, 395
Lung lacerations, parenchymal, 473, 474
Lymphocytes
 and sepsis/SIRS, 621
 and SIRS/MODS, 606–607

M

MAC, 195, 202
 See also Minimal alveolar concentration (MAC)
MAC-awake, 202, 484–485
Machine gun, 9
Macleod, George H.B., 861
Magill, Ivan Whiteside, 873
Maintenance of anesthesia
 in abdominal injury casualties, 484–485
 in burn casualties, 534–536
 and chemical warfare casualties, 845–846
 in thoracic casualties, 462–463
 See also Management
Makabali, G.G., 727
Malignant hyperthermia, 811–828
 battlefield management, 817–822
 battlefield resources, 814–817
 clinical signs, 816
 clinical syndrome, 812–814
 differential diagnosis, 819
 evaluation of susceptibility, 826–827
 fulminant, 812–813, 817–819
 genetic factors, 822
 incidence, 822
 and inheritance pattern, 822
 and masseter muscle rigidity, 813–814
 pathophysiology, 823–826
 and patient history, 821–822
 stress-induced, 814
Malignant hyperthermia cart, 816–817
Malignant Hyperthermia Hotline, 817, 818
Mallampati airway classification, 62
Malnutrition
 and immunosuppression, 620
Management
 of acid-base disturbances in ARF, 728–730
 anesthetic, after head injury, 390–391
 anesthetic, after spinal cord injury, 407
 anesthetic, after toxic injury, 841–846
 of blunt cervical spine injuries, 444–445
 cardiovascular, after spinal cord injury, 411
 of dialysis, in ARF, 736–741
 of electrolyte imbalances in ARF, 730–731
 of extremity injuries, 504–506
 of head injury, in intensive care unit, 391–397
 of intracranial hypertension, 395–396
 of malignant hyperthermia, 817–822
 phases of, with chemical warfare casualties, 844
 pulmonary, after spinal cord injury, 411–412
 of pulmonary aspiration, 67–68
 and recommended modifications of ATLS, 35
 of respiratory failure, 682–683
 of spinal cord injury, in intensive care unit, 407–412
 of systemic circulation after head injury, 396
 of thoracic injuries, 460–463, 464–475
 of ventilation after head injury, 396–397
 See also Airway management; Prevention and treatment; Therapeutic measures; Treatment
Mandibular fractures, 440

- Manganese, 572
 Manhattan Project, 194
 Mannitol, 722
 Manual in-line axial traction (MIAT), 406
 Marine Surgical Data Base, 836–837
 Marion Merrell Dow, 37, 650
 MASH
 See Korean War; Mobile Army Surgical Hospital (MASH)
 Mask ventilation, 447
 Massachusetts General Hospital, 861
 Masseter muscle rigidity, 813–814
 differential diagnosis, 821
 and therapeutic cooling, 820–821
 Maxillary fractures, 440–441
 Maxillofacial injury
 and airway management, 74
 and evacuation complications, 778
 See also Airway management; Face and neck injuries
 McFarlane, M.J., 743
 McGrigor, James, 753
 McKesson Appliance Co., 142
 McKesson model, 142, 675, 875, 878, 883
 See also Equipment; Military anesthesia machines
 McMurray, S.D., 742
 Meals ready to eat (MREs), 572
 Mechanical trauma
 and pulmonary insufficiency, 669–671
 Mechanical ventilation
 and combat casualties, 685–689
 complications, 684–685
 indications, 686
 initiating, 690–692
 monitoring, 692–698
 physiological effects, 683–684
 and positive-pressure modes, 687–689, 691
 weaning from, 699–702
 See also Ventilation; Ventilators for combat use; Ventilatory failure
 Medical education
 See Education of personnel
 Medical Force 2000 (MF2K), 134–138
 augmentation teams, 137
 combat support, field, and general hospitals, 137
 Forward Surgical Team (FST), 135–137
 hospital ships, 137–138
 Mobile Army Surgical Hospital, (MASH), 134–135
 Medical gas, 123–124, 149–151
 See also Gas anesthesia; Military anesthesia machines
 Medical Logistics, 123
 Medical Logistics Battalion, 133
 Medical material sets (MMSs), 122
 Medical network
 complexity of, 44–45
 Medical outcome of combat injury, 13–31
 died of wounds, 14–16
 “golden hour,” absence of, in combat trauma, 16–17
 historical trends in combat mortality, 17–18
 injury severity assessment, 25–28
 killed in action, 14
 morbidity, 23–24
 pathophysiological causes of death, 28–31
 for specific body-region injuries, 18–22
 Medical Readiness Task Force, 135
 Medical reengineering initiative (MRI), 134, 137–138
 Medical Service of the Army of the Soviet Union, 57
 Medications, preoperative
 for burn casualties, 532
 MEDSOM (Medical Supply, Optical, and Maintenance)
 Battalion, 133
 Meironsky, Arnold M., 379, 380
 Melatonin, 775
 Meperidine, 224, 225
 as adjuvant to inhalational anesthesia, 229
 and clinical pharmacology, 297
 and side effects, 297
 and shivering, 800
 Mepivacaine, 257, 313
 See also Local anesthetics
 Merkava, 759
 Merrill, J.P., 712, 742
 Mesmer, Franz Anton, 857
 Metabolic derangements and nutritional support, 543–596
 effect of injury, 553–554
 energy requirements of patients with injuries or infections, 561–564
 exercise, 549–551
 Infection Control Policy and Procedure Guide, 575, 589–596
 metabolic derangements in combat casualties, 549–564
 nutritional support, 565–585
 starvation, 549
 starvation, exercise, and stress, 551–553
 stress response stages, 554–561
 See also Metabolism and nutrition; Nutrition
 Metabolic effects
 of established multiple organ failure, 648–649
 of hypothermia, 796
 See also Metabolic derangements and nutritional support
 Metabolic and endocrinological responses
 to sepsis/SIRS/MODS, 619
 See also Metabolic derangements and nutritional support
 Metabolic manipulations
 for sepsis/SIRS/MODS, 643–644
 Metabolic terminology, 547
 “Metabolic tide,” 555
 Metabolism
 of local anesthetics, 309
 and responses to trauma, 294
 and secondary pain manifestations, 294
 See also Metabolic derangements and nutritional support
 Metabolism and nutrition
 and burn injuries, 527
 See also Metabolic derangements and nutritional support
 Metabolites, 545–548
 Methohexital
 dose regimen, 215
 Meyer, Hans H., 188, 190
 Meyer-Overton rule, 188, 189, 305
 Mezlin, 483
 See also Antibiotics
 MF2K
 See Medical Force 2000 (MF2K)
 Microbiologic evaluation
 of sepsis/SIRS/MODS, 624–625
 Microvascular bleeding (MVB), 327
 Midazolam
 dose regimen, 215
 See also Benzodiazepines
 Militarily unique considerations, 354–359
 female casualties and Rh blood groups, 356, 357
 group-specific transfusion and random-mix blood, 354–355
 identification tags, 355–356
 research efforts, 356, 358
 Military anesthesia machines, 141–174
 Field Anesthesia Machine (FAM) Model 885A, 142, 143–165

- future recommendations, 170–173
- Ohmeda Universal Portable Anesthesia Circuit (PAC), 165–170
- rebreathing, 873
- See also* Equipment; Face masks
- Military antishock trousers (MAST), 93
- Military Blood Program 2004 Study, 130
- Military experience
 - and ARF, 710–713
 - and battlefield medical environment, 44–46
 - and organization for provision of care, 32–33
 - and pyridostigmine, 850
 - and sepsis/SIRS/MODS, 600–601
- Military medical evacuation, 751–783
 - aeromedical, and biophysical effects, 771–775
 - history, 752–759
 - logistics and operations, 759–771
 - medical determinants of safety, 775–782
 - preparation for, 779–782
 - See also* Evacuation
- Military transfusion practice, 341–373
 - blood-distribution system: interaction guidelines, 369–373
 - blood transfusion at second echelon, 342, 344–351
 - during Korean War, 345–346, 883
 - militarily unique considerations, 354–359
 - during Persian Gulf War, 346, 357, 361–363
 - planning and training, 360–363
 - transfusion support at third and fourth echelons, 342, 351–354
 - during Vietnam War, 346, 357, 483
 - during World War I, 871–872
 - during World War II, 345, 355, 357, 361
 - See also* Blood transfusions; Transfusion therapy
- Minerals, replacement, 567–571
- Minimal alveolar concentration (MAC), 195, 202
- MiniStim, 237
- Missile wound distribution
 - by body surface, 10–11
- Mivacurium chloride, 245
 - See also* Nondepolarizing muscle relaxants
- Mobile Aeromedical Staging Facility (MASF), 763
- Mobile Army Surgical Hospital, (MASH), 118, 134–135
- Modified Brooke Formula, 524
- Mon-a-therm, Inc., 789
- Monitoring
 - during aeromedical evacuation, 782
 - brain, 391–392, 394
 - of burn casualties, 524–525, 532–533
 - of cardiovascular system, 106–109
 - of casualties with abdominal injuries, 484
 - cerebral blood flow, 393
 - and computers in anesthesia, 113
 - in echelons of care, 102–105
 - electroencephalographic, 393
 - of enteral nutrition, 583
 - and extremity injuries, 515
 - gas-exchange indices, 693–694
 - hemodynamic, 698
 - of hemostasis and coagulation, 105–106
 - intracranial pressure, 111–112, 393–394
 - intraoperative, 515
 - jugular venous bulb, 384
 - mechanical ventilation, 694–698
 - metabolic, of brain, 394
 - of nervous system, 111–113
 - oxygen concentration, 692
 - perioperative, 484
 - physiological, 101–113
 - pulse oximetry, 692–693
 - of renal system, 111
 - of respiratory system, 109–111
 - of resuscitation, 524–525
 - systemic, 105–113
 - of temperature, 113
 - of thoracic casualties, 462
 - See also* Diagnosis and monitoring of patients with sepsis/SIRS; Monitors
- Monitoring techniques, neuromuscular, 237–240
 - clinical assessment, 239
 - double-burst stimulation, 239
 - single twitch, 238, 240
 - tetanic stimulation, 239, 240
 - train-of-four, 238–239, 240
 - See also* Monitoring; Physiological monitoring
- Monitors
 - cerebral, and evoked potentials, 392–393
 - cerebral, operational characteristics, 392–394
 - for chemical agents, 839–840
 - in first and second echelons, 102–104
 - in fourth echelon and higher, 105
 - physiological, 123
 - and sepsis/SIRS/MODS, 625–627
 - in third echelon, 104–105
 - See also* Equipment; Monitoring; Physiological monitoring
- Monocytes
 - and sepsis/SIRS, 621
- Monokines
 - and sepsis/SIRS/MODS, 607
- Mononuclear cells
 - and SIRS/MODS, 605–606
- Morale, 52
 - See also* Education of personnel; Personnel
- Morbidity, 13, 23–24
 - indices, 23
- Morphine, 225, 861, 863
 - as adjuvant to inhalational anesthesia, 229
 - and clinical pharmacology, 295–296
 - first isolated, 294
 - and physical dependence, 296
 - and resuscitation, 879
 - and side effects, 295–296
- Mortality, 13–16
 - and anesthesia, 881
 - and ARF, 712, 713
 - cause of, after spinal cord injury, 408
 - determination, 803
 - and historical trends in combat, 17–19
 - among medical personnel, 52
 - and pathophysiological causes, 28–31
 - and traumatic injury, 601
 - See also* Death; Died of wounds; Killed in action
- Morton, William T.G., 165, 857, 859, 860
- Morton inhaler, 165
- MRI
 - See* Medical reengineering initiative (MRI)
- Multiple organ dysfunction syndrome (MODS)
 - See* Multiple organ failure, established; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Multiple organ failure, established, 644–652
 - clinical manifestations, 648–651
 - definition, 645
 - etiology and pathophysiology, 647–648
 - mortality risk, 646
 - prevalence, 644–645

- prognosis, 645–647
- treatment modalities, 651–652
- See also* Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Munitions, explosive, 8–9
- Muscle (masseter) rigidity, 813–814
 - differential diagnosis, 821
 - and therapeutic cooling, 820–821
- Muscle relaxants, 242–245
 - atracurium besylate, 244–245
 - investigational agents, 245
 - mivacurium chloride, 245
 - pancuronium bromide, 243
 - rocuronium bromide, 245
 - succinylcholine chloride, 242–243
 - vecuronium bromide, 243–244
 - See also* individual entries
- MUST (medical unit, self-contained, transportable) hospital, 118–119
- Mutation of ryanodine-receptor gene
 - in malignant hyperthermia, 826
 - See also* Genetic factors
- Muzzle velocity, 9
- Myocardial depressant factor
 - and sepsis/SIRS/MODS, 614
- Myocardial dysfunction
 - and sepsis/SIRS/MODS, 612–614

N

- Nalbuphine, 227
 - and clinical pharmacology, 298
- Naloxone, 227
 - and clinical pharmacology, 298
 - for sepsis/SIRS/MODS, 643
- Napoleon, 3, 6
- Narcan, 227
 - See also* Naloxone
- Nasal fractures, 440
- Nasogastric tubes
 - and evacuation, 780
- Nasotracheal intubation
 - and airway device placement, 64
 - See also* Intubation
- National Research Council, 871
- Nature of combat injury, 6–13
 - mechanisms of injury, 6–8
 - missile wound distribution, by body surface, 10–11
 - nonbattle injury, 8
 - and service-specific aspects, 8
 - sources of penetrating missiles, 8–10
 - wound depth, 11–13
- Neck injuries, 441–443
 - airway injuries, 441–442
 - esophageal injuries, 442–443
 - nerve injuries, 442
 - vascular injuries, 442
 - See also* Face and neck injuries
- Needle, soft metal, 873
- Neisseria meningitidis*, 622, 622
 - See also* Bacterial diseases; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
- Nembutal, 873
- Nerve agents
 - and pulmonary insufficiency, 672–673
 - See also* Anesthesia for casualties of chemical warfare agents
- Nerve block techniques
 - ankle block, 281–282
 - Bier's method, 275–276
 - brachial plexus block, 272–274
 - cervical plexus block, 267–269
 - femoral nerve block, 278
 - intravenous regional anesthesia, 275–276
 - lateral femoral cutaneous nerve block, 280–281
 - for lower extremity surgery, 276–282
 - lumbar plexus block, 276–278
 - mandibular nerve block, 270
 - maxillary nerve block, 270
 - occipital nerve block, 269
 - and ocular nerves, 270–271
 - sciatic nerve block, 278–279
 - at the popliteal fossa, 279
 - sole-anesthetic nerve blocks
 - for lower extremity surgery, 276–282
 - superior laryngeal nerve block, 271
 - transtracheal block, 271
 - trigeminal nerve block, 270
 - for upper extremity surgery, 271–276
 - Winnie 3-in-1 paravascular approach, 276, 277
 - See also* Nerve blocks; Neural blockade; Regional anesthesia
- Nerve blocks
 - and airway device placement, 63–64
 - and techniques, 267–282
 - See also* Nerve block techniques; Neural blockade; Regional anesthesia
- Nerve compression, supraorbital, 432
- Nerve fibers
 - and actions of local anesthetics, 306–307
 - classification, 291
 - pathways, 292
- Nerve injuries
 - with face and neck injuries, 442
 - See also* Neurological injuries
- Nerve stimulation
 - double-burst stimulation, 239
 - single twitch, 238, 240
 - tetanic stimulation, 239, 240
 - train-of-four, 238–239, 240
- Nervous system, monitoring, 111–113
 - central, 111–112
 - peripheral nerve stimulators, 112–113
 - See also* Central nervous system
- Neural blockade
 - benefits, 252–254
 - physiology, 256
 - See also* Nerve blocks; Nerve block techniques; Regional anesthesia
- Neural temperature control, 789
- Neurological abnormalities
 - and uremia, 738
- Neurological injuries, 375–414
 - and evacuation complications, 778
 - with face and neck injuries, 445–446
 - head injuries in combat, 376–378
 - head trauma: medical complications, 397–398
 - neurosurgical intervention: goals, 379–381
 - spinal cord injury, 399–413
 - traumatic brain injury: pathological anatomy and physiology, 382–386
 - traumatic brain injury: patient care, 387–397
 - traumatic brain injury: recovery and outcome, 398
 - See also* Central nervous system; Face and neck injuries
- Neurological manifestations
 - of sepsis/SIRS/MODS, 618–619

See also Central nervous system; Neurological injuries;
Neurological system
Neurological system
and cervical spine injury, 402
and complications of anesthesia by toxic agents, 846–847
and responses to trauma, 294
and uremia, 738
See also Central nervous system; Neurological manifestations
Neurometrics Inc., 112
Neuromuscular blockade
complications, 246
indications, 241–242
and reversal agents, 244
Neuromuscular blocking agents, 235–247
blockade complications, 246
blockade indications, 241–242
monitoring techniques, 237–240
muscle relaxants, 242–245
and pyridostigmine, 849
Neuromuscular monitoring
and pyridostigmine, 850
techniques, 237–240
Neuropathy, peripheral
and sepsis/SIRS, 618–619
Neurosurgical intervention
goals, 379–381
Neutropenia
and sepsis/SIRS, 621
Neutrophil morphology
and sepsis/SIRS, 621
Neutrophilia
and sepsis/SIRS, 621
New York World's Fair (1939), 873
Nightingale, Florence, 753
Nines, Rule of
See Rule of Nines
Nitrous oxide, 194, 195, 198–199
in casualties with abdominal injuries, 485
in dental operations, 863
in military surgery, 869–870
and oxygen, 869–870, 872
and patients in shock, 872
during World War I, 868
during World War II, 878
See also Anesthetics; Inhalational anesthesia; Military
anesthesia machines
Noise and vibration
and biophysical effects, 775, 778
Nonbattle injury, 8
Nondepolarizing agents, 236
and eye injury, 74
muscle relaxants, 243–245
and pyridostigmine, 849–850
and rapid tracheal intubation, 66
Nonimmersion hypothermia, 792
Nonoliguric, 716
Nonsteroidal antiinflammatory drugs (NSAIDs), 290, 293
and analgesia, 300
and antiinflammatory effect, 301
and antipyresis, 300
and clinical pharmacology, 298–302
and pharmacokinetic data, 300
and side effects, 301–302
specific agents, 299
Norepinephrine
in refractory septic shock, 636
Nose injuries
See Face and neck injuries

Nosocomial infections
pneumonia, 639–640
prevention of, with sepsis/SIRS, 639–640
after spinal cord injury, 411
See also Sepsis; Systemic inflammatory response and
multiple organ dysfunction syndromes (SIRS/MODS)
Nubain, 227
See also Nalbuphine
Nuclear warfare
and pulmonary insufficiency, 673
Nurses, 865
as anesthetists, 867, 873
See also Education of personnel; Personnel
Nutrition
and burn casualties, 527
See also Metabolic derangements and nutritional support
Nutritional support, 565–585
for ARF, 726–728
assessment of nutrition, 565–567
assessment of nutritional repletion, 584–585
enteral nutrition, 579–584
and immunosuppression, 620
and Infection Control Policy and Procedure Guide, 589–596
parenteral nutrition, 567–579
after spinal cord injury, 413
See also Malnutrition; Metabolic derangements and
nutritional support

O

Obstruction, airway, 57, 75
Ocular injuries, 446
See also Eye injuries
Oculocardiac reflex, 432–433
Ohio Model 785 Field Anesthesia Machine, 142, 889–892
See also Equipment; Military anesthesia machines
Ohio Model 855A Field Anesthesia Machine, 104, 142
in the field, 205–206
See also Equipment; Military anesthesia machines
Ohio Monovalve anesthesia apparatus, 867, 868
See also Equipment; Military anesthesia machines
Ohmeda, Inc., 104
See also Equipment; Military anesthesia machines
Ohmeda Universal Portable Anesthesia Circuit (PAC), 143,
165–171, 176
checkout and maintenance, 170
in the field, 205–206
and future recommendations, 170–171
specifications and operation, 166–170
See also Equipment; Military anesthesia machines
Oliguria, acute
vs ARF, 716–717
definition, 716
diagnosis, 716
and pharmacological therapy for, 724
Open-drop ether, 878
See also Ether
Open head injury, 376, 378
Operation Just Cause (Panama)
and evacuation scheme, 45, 776–777
Operation Restore Democracy
evacuation scheme, 45
Operations
See Logistics and operations
Ophthalmic complications, perioperative, 432–433
acute angle-closure glaucoma, 432
corneal abrasion, 432
oculocardiac reflex, 432–433

- retinal artery thrombosis, 432
 - supraorbital nerve compression, 432
 - Ophthalmic injuries
 - See Eye injuries; Ocular injuries
 - Ophthalmological manifestations
 - of sepsis/SIRS/MODS, 623
 - Opiate antagonists
 - and spinal cord protection, 409
 - See also Opioid antagonist drugs
 - Opioid, 224, 293
 - Opioid agonist-antagonist drugs, 226–227
 - butorphanol, 227
 - and clinical pharmacology, 297–298
 - nalbuphine, 227
 - and physiological effects, 226–227
 - See also individual entries
 - Opioid agonist drugs, 224–226
 - alfentanil, 226
 - and clinical pharmacology, 295–297
 - fentanyl, 225–226
 - meperidine, 225
 - morphine, 225
 - and physiological effects, 224–225
 - sufentanil, 226
 - See also individual entries
 - Opioid analgesics
 - and clinical pharmacology, 294–298
 - Opioid antagonist drugs, 227
 - naloxone, 227
 - and physiological effects, 227
 - See also Naloxone; Opiate antagonists
 - Oral supplements, 580–581
 - Organ bed changes
 - and response to stress, 557
 - Organ failure
 - See Multiple organ failure, established
 - Organ-specific responses to sepsis/SIRS/MODS, 611–623
 - cardiovascular response, 611–614
 - dermatological and ophthalmological manifestations, 623
 - hematological and coagulation defects, 620–623
 - immunological aberrations, 619–620
 - metabolic and endocrinological responses, 619
 - neurological manifestations, 618–619
 - pulmonary response, 614–616
 - renal dysfunction, 616–617
 - surgery in immunocompromised patients with sepsis/SIRS, 620
 - Organ system effects
 - of hypothermia, 792–796
 - of potent inhaled agents, 203–205
 - Organ-system responses
 - to head injury, 384–386
 - Organophosphate poisoning
 - and nondepolarizing neuromuscular blocking agents, 847
 - and protection by pyridostigmine, 848
 - Orotacheal intubation
 - and airway device placement, 64–65
 - See also Intubation
 - Orthopedic injuries
 - and evacuation complications, 778
 - Osborne wave, 794
 - Ovassapian intubating airway, 72
 - Overton, Charles E., 188, 190
 - Oxidative metabolic shifts
 - and response to stress, 558–559
 - Oxygen
 - and nitrous oxide, 869–870
 - therapeutic, 60, 93–94
 - See also Oxygen concentration; Oxygen delivery and consumption; Oxygen and positive-pressure ventilation; Oxygenation
 - Oxygen adjuncts, 60
 - See also Oxygen and positive-pressure ventilation
 - Oxygen concentration
 - monitoring, 160–163, 692
 - See also Oxygenation
 - Oxygen delivery and consumption
 - during aeromedical evacuation, 781–782
 - monitoring, 696–697
 - in patients with injury or infection, 563
 - and sepsis/SIRS/MODS, 633–635
 - See also Metabolic derangements and nutritional support; Oxygen transport; Oxygenation
 - Oxygen flush valve, 158, 160
 - Oxygen monitor, 160–163, 692
 - Oxygen and positive-pressure ventilation, 177–179
 - conserving oxygen, 178–179
 - leaks, inward and outward, 177–178
 - See also Oxygenation
 - Oxygen regulator, 151
 - Oxygen transport
 - and hemorrhage, 84–85
 - and transfusion therapy, 325–326
 - See also Oxygen delivery and consumption
 - Oxygenation
 - and biophysical effects, 773–774
 - monitoring, 692–698
- ## P
- Pacemaker
 - See Equipment; Monitors
 - Paceport pulmonary artery catheter, 573, 575
 - Packed red blood cells, group O
 - field use, 346, 347, 349
 - See also Military transfusion practice; Transfusion therapy
 - Pain
 - receptors, 290
 - transmission of, 291–292
 - transmitters, local, 290–291
 - See also Pain syndromes; Perioperative pain
 - Pain syndromes
 - after spinal cord injury, 412
 - See also Perioperative pain
 - Panama invasion
 - and medical problems during evacuation, 776–777
 - Pancreas
 - as injury site, 488
 - See also Retroperitoneal injuries
 - Pancuronium bromide, 243
 - See also Nondepolarizing muscle relaxants
 - Pancytopenia
 - and sepsis/SIRS, 620–621
 - See also Hematological and coagulation defects
 - Papaver somniferum*, 294
 - Parasympathetic nerves
 - and regional anesthesia, 260
 - Parenchymal lung lacerations, 473, 474
 - Parenteral nutrition, 527; 567–579
 - guidelines, 569–570
 - and Infection Control Policy and Procedure Guide, 589–596
 - and insulin, 578–579
 - and order forms, 568–570
 - peripheral, 578
 - replacement minerals, 567–571
 - total, and complications, 575, 576

- total, and delivery, 572–575
- total, and modifications, 575–578
- trace elements, 571–572
- vitamins, 572
- See also* Enteral nutrition; Metabolic derangements and nutritional support;
- Parkland Formula, 524, 525
- Parsons, E., 874
- Partition coefficients, 200
- Pass, L.J., 722
- Pathogenesis of ARF, 713–716
 - cellular injury, 715–716
 - tubular mechanisms, 715
 - vascular mechanisms, 714–715
- Pathophysiological causes of death, 28–31
- Pathophysiology
 - of abnormal gas exchange, 678
 - of burn injuries, 526–527
 - of established multiple organ failure, 647–648
 - of fat embolism syndrome, 510–512
 - of malignant hyperthermia, 823–826
 - of pain, 290–293
 - of pulmonary problems with sepsis/SIRS, 615–616
 - of traumatic brain injury, 382–386
- Patient-controlled analgesia (PCA), 290, 313–314
- Patient Evacuation Form DD 602 or 1380, 778, 780
- Patil-Syracuse mask, 72
- Pediatric anesthesia
 - and ketamine, 221
- Penetrating injury
 - of brain, 382
 - of head, 376–377, 380–381
 - and pulmonary insufficiency, 669
 - See also* Neurological injuries
- Penetrating missiles
 - and abdominal injury, 22
 - and chest injury, 20–21
 - and extremity injury, 22
 - and head injury, 20
 - and resulting wounds, 376–377
 - sources of, 8–10
 - and thoracic trauma, 456–457
 - See also* Injuries, mechanisms of
- Penicillin, 881
 - See also* Antibiotics
- Penlon, Ltd., 165
- Perfusion
 - See* Peripheral perfusion
- Pericarditis, uremic, 738
 - See also* Acute renal failure (ARF); Cardiovascular system
- Perioperative anesthetic management, 449–451
 - in casualties with abdominal injuries, 484, 484–485
 - and general anesthesia, 450–451
 - and intraoperative airway management, 451
 - and local and regional anesthesia, 450
 - and postoperative airway management, 451
 - See also* Perioperative pain
- Perioperative considerations with burn casualties, 531–537
 - anesthetic technique, 533–536
 - intraoperative fluid management, 536
 - monitoring, 532–533
 - postanesthetic considerations, 537
 - preoperative assessment, 532
 - preoperative medications, 532
 - temperature regulation, 536–537
 - transport, 533
- Perioperative considerations in casualties with abdominal injuries, 483–485
 - antibiotics, 483
 - coexisting disease and monitoring, 484
 - induction of anesthesia, 484
 - intravenous access, 483–484
 - maintenance of anesthesia, 484–485
 - nitrous oxide, 485
 - positioning for operation, 485
- Perioperative pain, 287–316
 - analgesic drugs: mode of administration, 313–316
 - local anesthetics: clinical pharmacology, 302–312
 - local anesthetics: selection, 312–313
 - nonsteroidal antiinflammatory drugs (NSAIDs): clinical pharmacology, 298–302
 - opioid analgesics: clinical pharmacology, 294–298
 - pathophysiology of pain, 290–293
 - and secondary systemic manifestations, 293–294
 - See also* Perioperative anesthetic management; Perioperative considerations with burn casualties; Perioperative considerations in casualties with abdominal injuries
- Peripheral nerve stimulators, 112–113
- Peripheral nervous system
 - and toxic injury, 841
- Peripheral parenteral nutrition (PPN), 578
- Peripheral perfusion
 - maintenance of, in burn casualties, 525
- Peritoneal dialysis, 734–735
 - See also* Dialysis
- Permeability pulmonary edema, 675
 - See also* Acute respiratory failure and ventilatory management
- Pernick, Martin S., 863
- Persian Gulf War
 - and chemical warfare, 834
 - and deployable hospitals, 132–134
 - and evacuation scheme, 45
 - and mechanical ventilators, 687, 699
 - and medical network, 44
 - and medical problems during evacuation, 776–777
 - and military anesthesia machines, 143, 152, 157, 166
 - and open head injuries, 377–378
 - and pulse oximeters, 693
 - and pyridostigmine, 97
 - and technology and logistics, 44
 - and transfusion practice, 346, 357, 361–363
- Personnel
 - in battlefield hospitals, 47–53
 - on hospital ships, 137
 - in Medical Force 2000, 134
 - recruitment, 882
 - role, 47–53, 879, 892–893
 - during Spanish-American War, 865–866
 - during Vietnam War, 885, 889, 892
 - during World War I, 866–867
 - during World War II, 874–875, 879
 - See also* Dentists; Education of personnel; Nurses; Physicians
- pH-stat management, 797
 - See also* Acid-base balance
- Pharmacokinetics
 - definition, 307
 - of local anesthetics, 307–309
 - of potent volatile anesthetics, 180–181
 - See also* Square-root-of-time kinetics
- Pharmacological effects
 - of intravenous anesthetic agents, 213
 - See also* Drug effects; Drug interactions
- Pharmacological interactions
 - See* Drug interactions

- Pharmacological uncertainty principle, 182
- Pharmacology
- of adjunct medications, 298
 - of barbiturates, 214
 - of butorphanol, 297–298
 - of dezocine, 298
 - of droperidol, 298
 - of etomidate, 215
 - of fentanyl, 296–297
 - of ketamine, 217–218
 - of local anesthetics, 302–312
 - of meperidine, 297
 - of mixed agonists, 298
 - of morphine, 295–296
 - of nalbuphine, 298
 - of naloxone, 298
 - of nonsteroidal antiinflammatory drugs (NSAIDs), 298–302
 - of opioid agonists, 295–297
 - of opioid agonist-antagonists, 297–298
 - of opioid analgesics, 294–298
 - of promethazine, 298
 - of propofol, 216–217
 - of pyridostigmine, 847–848
- Phemister, D.E., 874
- Philadelphia collar, 405–406
- Phillips, Thomas, 858
- Phillips, W.J., 549
- Phosgene, 673
- See also* Choking agents
- Phosphate abnormalities
- in ARF, 730–731
- Phosphocholine lecithin, 190
- Phosphorus, 567, 568, 570, 571
- Physician's orders
- and air evacuation, 779–780
- Physicians
- during Korean War, 882–883
 - recruitment, 882
 - See also* Personnel
- Physiologic Effects of Wounds, The*, 86
- Physiological effects
- of barbiturates, 214–215
 - of droperidol, 223
 - of etomidate, 215–216
 - of ketamine, 218–219
 - of opioid agonist-antagonist drugs, 226–227
 - of opioid agonist drugs, 224–226
 - of opioid antagonist drugs, 227
 - of propofol, 217
 - of scopolamine, 222
- Physiological monitoring, 101–113
- computers in anesthesia, 113
 - monitors in echelons of care, 102–105
 - systemic monitoring, 105–113
 - See also* Monitoring; Monitors
- Pig, 142, 876, 883
- See also* Equipment; Military anesthesia machines
- Pin-index safety system (PISS), 148, 149, 150–152
- Pirogov, Nikolai I., 5, 752
- Placement of airway devices, 62–66
- airway classification, 62
 - anesthetizing the airway, 62–63
 - nasotracheal intubation, 64
 - nerve blocks, 63–64
 - orotracheal intubation, 64–65
 - rapid-sequence induction of anesthesia, 66
 - See also* Intubation
- Planning and training, 360–363
- adjustments from civilian medicine, 360–361
 - hands-on practice, 361–362
 - planning at third and fourth echelons, 363
 - second-echelon transfusion strategy, 362–363
- Plasma, 322, 874, 880, 881, 883
- fresh frozen, 326, 328, 329
 - See also* Blood; Blood products; Military transfusion practice; Transfusion therapy
- Plateau pressure, 111
- Plateau wave, 396
- Platelet activating factor
- and sepsis/SIRS, 610
- Platelet dyscrasia
- and sepsis/SIRS, 622–623
- Platelets
- and dilutional thrombocytopenia, 327–328
 - and the future, 359
 - See also* Blood; Blood products; Hemostasis and coagulation; Military transfusion practice; Pathophysiology; Transfusion therapy
- Pneumatic antishock garments (PASGs), 93
- and aeromedical evacuation, 772
- Pneumothorax, 471–472, 669, 772
- See also* Acute respiratory failure and ventilatory management
- Polson, R.J., 723
- Polymorphonuclear cells
- and SIRS/MODS, 606
- Polyuria, 716
- POMCUS (prepositioned material configured in units), 132
- Porter, John B., 860
- Positioning the patient
- for surgery, 463, 485
 - as therapeutic measure, 92–93
- Positive-pressure ventilation, 687–689
- continuous, positive airway pressure (CPAP), 689
 - expiratory positive pressure, 689
 - inspiratory positive pressure, 687–689
 - and oxygen, 177–179
 - positive end-expiratory pressure (PEEP), clinical use, 689
- Postanesthesia care treatment
- for hypothermia, 799–800
- Postanesthetic considerations
- with burn casualties, 537
- Postoperative care
- of thoracic casualties, 463
- Potent volatile anesthetics, 179–184
- administration equipment, 182–183
 - concentration and dosage, 181–182
 - intravenous agents: square-root-of-time kinetics, 183–184
 - pharmacokinetics, 180–181
 - pharmacological uncertainty principle, 182
 - See also* Anesthetics
- Pralidoxime chloride (2-PAM Cl), 673
- Premedication
- with pyridostigmine, 848, 849
- Preoperative evaluation and preparation
- of burn casualties, 532
 - of thoracic casualties, 460–462
- Pressure reversal
- in general anesthetics, 189, 190, 192
- Pressure support (PS) ventilation, 688
- Pretreatment
- with pyridostigmine, 848, 849
- Prevalence
- of established multiple organ failure, 644–645
- Prevention and treatment, 797–800

algorithm, 802
and ARF, 719–724, 724–726
blood and fluid warmers, 799
for patients at high risk for ARF, 719–721, 724–726
postanesthesia care unit treatment, 799–800
supplemental warming devices, 798–799
See also Management; Therapeutic measures; Treatment

Priestley, Joseph, 857

Prilocaine, 257, 313
See also Local anesthetics

Primary hypothermia, 792

PRIMOB (primary mobilization stations), 132

Procaine, 312, 878
and 2-chloroprocaine, 312
See also Anesthetics

Prognosis
in established multiple organ failure, 645–647
and outcome, of ARF, 741–744
See also Medical outcome of combat injury

Promethazine
and clinical pharmacology, 298

PROPAC 104, 107

PROPAQ monitors, 124, 788–789

Propaq Systems, 124

Propofol, 216–217
clinical use and contraindications, 217
dose regimen, 215
pharmacology, 216–217
physiological effects, 217
used as total intravenous anesthetic, 230

Prostacyclin, 301
and sepsis/SIRS/MODS, 608–609

Prostaglandins, 291, 293, 383
and sepsis/SIRS/MODS, 608, 609
See also individual organ systems

Protection, detection, and decontamination
and toxic agents, 839–840

Protein
normal turnover, 548
in response to stress, 559–561
See also Metabolic derangements and nutritional support;
Metabolites

Protein hypothesis
of inhalational anesthetic action, 191, 192

Protocol Systems, Inc., 107

Pseudocholinesterase anomaly
and neuromuscular blockade effect, 245

Pseudomonas aeruginosa, 603, 622
See also Bacterial diseases; Systemic inflammatory
response and multiple organ dysfunction syndromes
(SIRS/MODS)

Psychiatric illness
and medically safe evacuation, 779

Psychic upset
and anesthesia, 872

Pulmonary artery catheterization, 108–109
purposes of, with extremity injuries, 514
in sepsis/SIRS, 625–626
and total parenteral nutrition, 573–575

Pulmonary artery pressure
monitoring, 108–109

Pulmonary aspiration
management, 67–68
and respiratory insufficiency, 674–675

Pulmonary edema, 675–676
See also Acute respiratory failure and ventilatory manage-
ment

Pulmonary embolism
See Deep venous thrombosis and pulmonary embolism

Pulmonary function
monitoring, 111
See also Respiratory system

Pulmonary insufficiency
etiology, 669–673
See also Pulmonary pathophysiology

Pulmonary pathophysiology
and burn injuries, 526–527
See also Acute respiratory failure and ventilatory manage-
ment; Pulmonary insufficiency; Respiratory system

Pulmonary response
to sepsis/SIRS/MODS, 614–616
See also Acute respiratory failure and ventilatory manage-
ment; Respiratory system

Pulmonary system
and established multiple organ failure, 649
and head injury, 384–385
and head trauma, 397–398
and management, after spinal cord injury, 411–412
and mechanical ventilation effects, 683
and sepsis/SIRS/MODS, 614–616
and spinal cord injury, 403
See also Acute respiratory failure and ventilatory manage-
ment; Respiratory system

Pulse oximetry
monitoring, 104, 109–110, 692–693

Punic War, Second, 752

Purdue Frederick, 483

Puritan-Bennett Companion, 687

Puritan-Bennett PR-2, 686–687, 702–703

Pyridostigmine, 847–850
and depolarization block, 849
and induction agents, 849
and inhalational anesthetics, 850
and military experience, 850
and neuromuscular blocking agents, 849
and neuromuscular monitoring, 850
and nondepolarizing agents, 849–850
pharmacology, 847–848
premedication with, 849
and resuscitating combat casualties, 97

Q

Quarterly Supplement of Anesthesia and Analgesia, 866

R

Radiation
and normal thermoregulation, 790

Radiography
of the chest, 698

Radiological evaluation
in sepsis/SIRS, 627–628
of spinal cord injury, 404–406

Radiological procedures
and sepsis/SIRS/MODS, 627–628

Radionuclide cineangiography, 613

Rapid Deployment Hospital Ship program, 756

Rapid-sequence intravenous induction, 227–228

Rasmussen, H.H., 720

Rebreathing machine, 873
See also Acute respiratory failure and ventilatory manage-
ment; Military anesthesia machines

Receptors, 290
sites, 306

- Recrudescence
of hyperthermia, 819
- Rectum
as injury site, 492
See also Intraperitoneal injuries
- Recurarization, 239
See also Curare
- Regional anesthesia, 251–282
of airway, 271
and extremity injuries, 513–514
vs general anesthesia, 253
of head and neck, 267–271
and intravenous adjuvants, 229–230
local anesthetics, 254–259
nerve block techniques, 267–282
neural blockade, and benefits, 252–254
and physiological benefits, 252
for thoracic and abdominal surgery, 259–267
during Vietnam War, 887–888
during World War II, 878
See also Anesthesia; Anesthesia for casualties of chemical warfare agents; Anesthetics; Closed-circuit anesthesia; General anesthesia; Inhalational anesthesia; Intravenous anesthesia; Local anesthetics; Local and regional anesthesia
- Regurgitation and aspiration, 67, 75
- Renal dysfunction
and sepsis/SIRS/MODS, 616–617
See also Acute renal failure; Renal system
- Renal failure
and modifications of parenteral nutrition, 575–577
See also Acute renal failure; Renal dysfunction; Renal system
- Renal system
and hypothermia, 795–796
and mechanical ventilation effects, 684
monitoring, 111
and NSAIDs, 301
and potent inhaled agents, 205
See also Acute renal failure; Kidneys; Renal dysfunction
- Respiratory failure in combat casualty care
definition, 680
diagnosis, 680–682
epidemiology, 669
etiology, 668
management, 682–683
and modifications of parenteral nutrition, 578
See also Respiratory insufficiency; Respiratory system
- Respiratory insufficiency
and ARDS, 676–680
and hydrostatic pulmonary edema, 675–676
and pulmonary aspiration, 674–675
See also Respiratory failure in combat casualty care; Respiratory system
- Respiratory support
during aeromedical evacuation, 781–782
- Respiratory system
and barbiturates, 214–215
and benzodiazepines, 222
and complications of anesthesia by toxic agents, 846
and etomidate, 216
and ketamine, 219
monitoring, 109–111
and morphine, 295
and NSAIDs, 301
and opioid agonist drugs, 224–225
and potent inhaled agents, 203
and regional anesthesia, 260
and secondary pain manifestations, 293
and sepsis/SIRS/MODS, 636–637
and systemic hypothermia, 794
and toxic injury, 841, 842
See also Acute respiratory failure and ventilatory management; Pulmonary function; Pulmonary insufficiency; Pulmonary pathophysiology; Pulmonary response; Pulmonary system; Respiratory failure in combat casualty care; Respiratory insufficiency
- Resting energy expenditure (REE), 549
See also Metabolic derangements and nutritional support
- Resuscitation
equipment, 123
formulas, 524
monitoring of, in burn casualties, 524–525
during World War II, 878–881
- Resuscitation fluid selection, 89–92
advantages and disadvantages, 90
colloid solutions, 91
crystalloid solutions, 89–91
hypertonic solutions, 91–92
for sepsis/SIRS/MODS, 631–633
See also Colloid solutions; Crystalloid solutions
- Retinal artery thrombosis, 432
- Retinol-binding protein
and nutritional repletion, 585
- Retrobulbar block, 446
- Retroperitoneal injuries, 486–488
great vessels, 487
kidneys, ureters, and bladder, 487–488
pancreas and duodenum, 488
- Rewarming shock, 800
- Rewarming techniques, 800
- Reye's syndrome
and NSAIDs, 301–302
- Rh blood groups, 356, 357
See also Military transfusion practice; Transfusion therapy
- Rhabdomyolysis, 725–726
See also Acute renal failure (ARF)
- Rib fractures, 464
- Richardson, Sir Benjamin, 857
- Robert le Conquerant*, 754
- Robertson, Oswald H., 871
- Robinul, 222
See also Glycopyrrolate
- Roche Laboratories, 221
- Roche Products, Inc., 221
- Rocuronium bromide, 245
See also Nondepolarizing muscle relaxants
- Rommel, Erwin, 3
- Ropivacaine, 313
- Roto-rest R, 413
- Routh, G.S., 742
- Rowbotham, Edgar Stanley, 873
- Rule of Nines, 10, 96, 523
- Russo-Japanese War, 865
- Ruth, Henry Swartley, 874
- Ryanodine, 823
- Ryanodine-receptor gene, mutation
in malignant hyperthermia, 826
See also Genetic factors

S

- Saline
See Hypertonic saline
- Sams, Crawford F., 882

- Sanofi Winthrop Pharmaceuticals, 124, 225
Schimmelbusch, Carl, 868
Schimmelbusch mask, 867, 868
Schoenfeld, P.Y., 721
Scipio, 752
Scopolamine, 222–223
 clinical use and contraindications, 223
 physiological effects, 222
Scott, Winfield, 860
Second-gas effect, 198, 201–202
Secondary closure, 506
Secondary hypothermia, 792
Secondary intention, 506
Seizure prophylaxis, 397
Seizure threshold
 and benzodiazepines, 221
Seldinger technique, 324, 573–574
Selective Service Act of 1950, 884
Selenium, 572
Sellick's maneuver, 46
Sensory evoked potentials, 112
 See also Evoked potentials
Sepsis
 and corticosteroid treatment, 642–643
 definition, 598, 599, 615
 etiology, 600
 and extremity injuries, 505–506
 and metabolic changes in response to stress, 557–558
 severe, 599
 See also Bacterial diseases; Metabolic derangements and nutritional support; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS); Tropical diseases
Sepsis syndrome, 615
Septic shock, 598, 599, 615
 See also Sepsis; Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
Serotonin, 290, 291, 293
Service-specific aspects of combat injury, 8
Servo 900C, 687
Severity of burns, 523
Sevoflurane, 194, 195, 198
 See also Anesthetics; Inhalational anesthesia; Military anesthesia machines
Shakespeare, William, 554
Sharpstone, P., 726
Shearing-Plough Health Care Products, Inc., 406
Shipway, Francis, 867–868
Shipway apparatus, 867–868, 869
Shivering, nonhypothermic, 800
Shock
 and ARDS, 676
 definition, 701
 and extremity injuries, 504–505
 and heart rate, 86
 and nitrous oxide, 869
 and recommended modifications of ATLS, 35–36
 See also Hemorrhage, shock, and fluid resuscitation; Shock therapy
Shock teams, 879
Shock therapy, 874
 during World War I, 871–872
 during World War II, 878–881
 See also Military transfusion practice; Transfusion therapy
Shock Trauma Center, Maryland Institute for Emergency Medical Services Systems (MIEMSS), 603
Shock wards, 879
Shoemaker's therapeutic goals, 651
Silent aspiration, 674
Silvadene, 37
Single twitch stimulation, 238, 240
Sinus evaluation
 in sepsis/SIRS, 628
SIRS/MODS
 See Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)
Site of action
 of general anesthetics, 193
Skin
 and morphine, 296
 and toxic injury, 840
 See also Cutaneous side effects; Dermatological manifestations
Skull fracture
 See Face and neck injuries
Sleep lag
 See Fatigue and sleep lag
Slow, continuous ultrafiltration (SCUF), 735, 736
Small arms, 9–10
Small bowel
 as injury site, 489–492
 See also Intraperitoneal injuries
Snow, John, 860–861
Sodasorb, 158–159, 161, 162
Sodium, 567, 568, 570
Sodium channel
 and local anesthetic receptor sites, 306
Sodium thiopental, 66
 dose regimen, 215, 228
 and shock, 878
 used as total intravenous anesthetic, 230
 after World War I, 873
 during World War II, 877–878, 881
 See also Thiopental
Somalia (Operation Restore Hope)
 and aeromedical evacuation, 758
 and blood banking, 365
 and evacuation scheme, 45
 and medical network, 44–45
 and transfusion practice, 362
Somatic nerves
 and regional anesthesia, 260
Somatosensory evoked potentials (SSEPs), 408
 See also Evoked potentials
Soviet Union
 and data from Medical Service of the Army, 57
 "Space blanket," 798
Spanish-American War, 865–866
Spanish Civil War
 and evacuation, 754
Specialization, 874, 881–882
Specific-receptor theory
 and local anesthetics, 305
Spinal anesthesia, 872
 undesirability, 878
Spinal cord injury, 399–413
 and anesthetic management, 407
 and functional ability, 399
 and initial care, 404–407
 and management in intensive care unit, 407–412
 and medical complications, 412–413
 and physiological responses, 400–404
 and protection, 408–411
 and recommended modifications of ATLS, 37
 See also Face and neck injuries; Neurological injuries

- Spinal cord protection, 408–411
 free radical scavengers, 410
 glucocorticoids, 409–410
 G_{M1} ganglioside, 410
 hypothermia, topical, 409
 opiate antagonists, 409
- Spinal injuries
 and recommended modifications of ATLS, 37
See also Cervical spine injuries; Face and neck injuries;
 Spinal cord injury
- Spinal shock, 444
 and cardiovascular management, 411
- Spirometry, 696
- Spleen
 as injury site, 493
See also Intraperitoneal injuries
- Square-root-of-time kinetics, 183–184
- Squibb, E.R., 863
- SS Uganda, 756
- Stabilization
 and recommended modifications of ATLS, 37–38
 and spinal cord injury, 404
- Stadol, 227
See also Butorphanol
- Staphylococcus aureus*, 603, 622
See also Bacterial diseases; Systemic inflammatory
 response and multiple organ dysfunction syndromes
 (SIRS/MODS)
- Starling's equation, 83–84, 677
- Starvation
 and exercise and stress, 551–553
 and metabolism, 549
See also Metabolic derangements and nutritional support
- Stereoselectivity
 in general anesthetics, 190
- Steroids, 547
See also Metabolic derangements and nutritional support
- Stomach
 as injury site, 489–492
See also Abdominal injuries; Intraperitoneal injuries
- Stone, W.J., 711
- Stott, R.B., 742
- Strategic evacuation system, 766–768
- Stress
 and starvation and exercise, 551–553
See also Metabolic derangements and nutritional support
- Stress hormones
 and sepsis/SIRS, 610
- Stress-induced malignant hyperthermia, 814
- Stress response, 253, 554–561
 and blood flow changes, 557
 immediate response, 554–557
 metabolic changes in trauma with sepsis, 557–558
 and organ bed changes, 557
 and oxidative metabolic shifts, 558–559
 patterns of, 563–564
 and preferential amino acid utilization, 559–561
 and protein turnover, 559–561
 stages of, 554–561
See also Metabolic derangements and nutritional support
- Stretchers
 and air evacuation, 780
 “floating,” 775
- Structural specificity
 lack of, in general anesthetics, 188–189
- Stryker frames
 and evacuation, 780, 782
- Stuart Pharmaceuticals, 216
- Sublimaze, 225
See also Fentanyl
- Substance P, 290, 291, 293
- Succinylcholine
 breakdown, 236
 with burn casualties, 534, 535–536
 chloride, 242–243, 245
 and ocular injuries, 74, 446
 and thermal airway injury, 75
 and thoracic casualties, 463
 with unstable patients, 388
 use during Korean War, 883
See also Anesthesia; Anesthetics
- Sucking chest wound, 465
See also Chest injuries; Thoracic injuries
- Sufenta, 226
See also Sufentanil
- Sufentanil, 224, 226
 as adjuvant to inhalational anesthesia, 229
- Sulfa drugs, 881
See also Antibiotics
- Sulfamylon, 37
- Sun Medical, 72
- Supportive care
 of head injury casualties, 394–395
- Supraorbital nerve compression, 432
- Surface-charge theory
 and local anesthetics, 305
- Surgeon to Soldiers*, 322
- Surgery
 for extremity injuries, 506
 in immunocompromised patients with sepsis/SIRS, 620
 positioning for, of casualties with abdominal injuries, 485
See also Abdominal trauma and war surgery; Management;
 Neurosurgical intervention; Therapeutic measures;
 Treatment
- Surgical reexploration
 and sepsis/SIRS/MODS, 628–629
- Swann, R.C., 712, 742
 “Swedish nose,” 781
- Sympathetic nerves
 and regional anesthesia, 260
- Synaptic transmission, 193
- Synchronized, intermittent, mandatory ventilation (SIMV),
 688
- Syringes, 863, 865
- Systemic hypothermia, 787–804
 cardiopulmonary resuscitation, 801–803
 clinical and laboratory manifestations, 792–797
 clinical prevention and treatment, 797–800
 definition and classification, 792
 effect of, on drug action, 803–804
 and normal thermoregulation, 789–792
 possible etiologies, 793
 special concerns, 803
 stages and characteristics, 795
See also Hypothermia; Temperature regulation
- Systemic inflammatory response and multiple organ dysfunction
 syndromes (SIRS/MODS), 597–652
 definition, 598, 599
 diagnosis and monitoring, 623–629
 epidemiology, 598–611
 established multiple organ failure, 644–652
 etiology, 600
 organ-specific responses, 611–623
 therapeutic modalities, 629–644

Systemic inflammatory response syndrome (SIRS)
See Systemic inflammatory response and multiple organ dysfunction syndromes (SIRS/MODS)

T

T helper cells

and selenium deficiency, 572

See also Immunological aberrations

T-piece trials, 701–702

Tactical evacuation system, 763–766

Tartter, P., 334

Technidyne Corp, 106

Techniques for administering intravenous anesthetics, 227–230

as adjuvants to inhalational anesthesia, 228–229

as adjuvants for regional and local anesthesia, 229–230

rapid-sequence intravenous induction, 227–228

as total intravenous anesthesia, 229

Technological and logistical support, 44

TEMPER (tents, extendable, modular, personnel) tents, 126, 127, 129

Temperature measurement, 789

Temperature monitoring, 113

See also Hypothermia; Malignant hyperthermia; Thermal regulation

Temperature regulation

in burn casualties, 536–537

normal, and systemic hyperthermia, 789–792

See also Malignant hyperthermia; Systemic hypothermia

Tension pneumothorax, 69

See also Acute respiratory failure and ventilatory management

Teschner, P.E., 741–742, 743

Tetanic stimulation, 239, 240

Tetanus prophylaxis

with burn casualties, 525

Tetracaine, 312

Tetracaine hydrochloride, 878

Therapeutic cooling

and acid-base disturbances, 820

and hyperkalemia, 820

late complications, 820

masseter muscle rigidity, 820–821

Therapeutic measures, 92–95

hypothermia, 94

intraarterial infusion, 94

oxygen, supplemental, 93–94

patient position, 92–93

pneumatic antishock garment, 93

in thoracic trauma, 459

vasodilators, 95

vasopressors, 95, 635–636

See also Management; Prevention and treatment; Therapeutic modalities for sepsis/SIRS/MODS; Treatment

Therapeutic modalities for sepsis/SIRS/MODS, 629–644

antimicrobial therapy, 637–639

colloid solutions, 630–631

corticosteroids, 642–643

crystalloid solutions, 630

cyclooxygenase inhibitors, 643

fluid resuscitation, 629–631

immunotherapy, 641–642

inotropic and vasopressor drugs, 635–636

metabolic manipulations, 643–644

naloxone, 643

proposed therapies, 639–641

resuscitation fluid selection, 631–633

support of the respiratory system, 636–637

tissue oxygen delivery and consumption, 633–635

See also Management; Prevention and treatment; Therapeutic measures; Treatment

Thermal injuries, 96

and airway management, 75

and evacuation complications, 778

and resuscitating combat casualties, 96

See also Anesthesia for casualties of chemical warfare agents; Burn injuries

Thermal stress

and biophysical effects, 774–775

Thermal trauma

and pulmonary insufficiency, 671–672

Thermoregulation

See Temperature regulation

Thiopental, 66

in the battlefield, 213

dose regimen, 215

See also Sodium thiopental

Thompson, Gale, 886

Thoracic injuries, 455–476

combat thoracic trauma: overview, 458–460

diagnosis and management of specific injuries, 464–475

etiology, 457

and evacuation complications, 777–778

management principles, 460–463

and recommended modifications of ATLS, 36

types of injury, 456–458

See also Airway management; Cardiovascular system;

Chest injuries; Thoracic surgery

Thoracic surgery

and applied anatomy for regional anesthesia, 260

and applied physiology for regional anesthesia, 260–261

and epidural anesthesia, 261, 262–263, 264

and intercostal nerve block, 261, 265–267

and interpleural nerve block, 261, 267

and peripheral nerve blocks, 261, 267

and regional anesthesia, 259–267

and spinal anesthesia, 261, 263–265

in World War I, 870

See also Thoracic injuries

Thoracoabdominal injury, 460

Thoracotomy, indications for, 460

Thrombocytopenia, dilutional

and platelet dyscrasia, 622–623

and platelets, 327–328

Thrombotic and embolic phenomena, 508–510

deep venous thrombosis and pulmonary embolism, 508–510

fat embolism syndrome, 510–513

Thrombosis, retinal artery, 432

Thromboxane A₂, 301, 383

and sepsis/SIRS/MODS, 608

Thyroxine-binding prealbumin

and nutritional repletion, 585

Tidal volume and respiratory rate, 690

Tissue oxygen delivery and consumption

and sepsis/SIRS/MODS, 633–635

Titanic, 790

To-and-Fro Absorber, 874

Total body surface area (TBSA), 523

See also Rule of Nines

Total intravenous anesthesia, 220–221, 229, 230

Total parenteral nutrition

and delivery, 572–575

and metabolic complications, 575, 576

and modifications, 575–578

Toxic shock, 874

- Toxic agents
 characteristics, 838–839
 and complications of anesthesia, 846–847
 and injury sites, 840–841
 latency of onset, 838
 spectrum of, 837–838
 toxicity, 838
 transmissibility, 839
- Toxic injury
 and anesthesia management, 841–846
- Toxicity
 of local anesthetics, 310–312
- Trace elements, 571–572
 chromium, 572
 copper, 572
 iron, 555, 571
 manganese, 572
 selenium, 572
 zinc, 555, 571–572
- Tracheal injuries, 472–473
 and airway management, 74–75
 diagnosis, 75
 management, 75
See also Airway management; Face and neck injuries
- Tracheal intubation, 447–448
See also Airway management; Face and neck injuries; Intubation
- Tracheostomies, 449
 and aeromedical evacuation, 781
See also Airway management; Face and neck injuries
- Traction
 manual in-line axial traction (MIAT), 406
- Train-of-four stimulation, 238–239, 240
- Training
See Education of personnel
- Transcapillary refill, 83
- Transesophageal echocardiography, 109
- Transferrin
 and nutritional repletion, 584–585
- Transfusion reactions
 field management, 349–351
 potential, 329–335
- Transfusion support, 342, 351–354
 effect of massive transfusion, 352
 emergency collection and transfusion of whole blood
 donated in field, 352–354
 logistical aspects, 351–352
- Transfusion therapy, 321–336
 alternatives to volume replacement, 335–336
 logistics, 322–325
 potential adverse effects, 329–335
 principles of good civilian practice, 336
 purposes, 325–329
See also Military transfusion practice
- “Transfusion trigger,” 326
- Transmembrane pressure, 732
- Transport
 of burn casualties, 533
See also Evacuation; Military medical evacuation
- Transtacheal jet ventilation, 448–449
- Trauma
 and immunosuppression, 619–620
 with sepsis, and metabolic changes with stress, 557–558
See also Combat trauma overview; Metabolic derangements and nutritional support
- Trauma Coma Data Bank, 383
- Trauma-related sepsis and septic shock
 and SIRS/MODS, 601–603
- See also* Trauma
- Trauma Score, 25, 761–763
- Traumatic brain injury
 pathological anatomy and physiology, 382–386
 patient care, 387–397
 recovery and outcome, 398
See also Face and neck injuries; Neurological injuries
- Traumatic injury
 and SIRS/MODS, 601
- Treatment
 of ARDS, 678–680
 of ARF, 726–731, 731–736, 736–741
 of deep venous thrombosis and pulmonary embolism, 509–510
 and DEPMEDS, briefs, 120–121
 of established multiple organ failure, 651–652
 of fat embolism syndrome, 512
 of inhalation injury, 529
 of oliguria, acute, 724
 proposed, for sepsis/SIRS/MODS, 639–641
 of shock, 871–872, 874, 878–881
 of traumatic brain injury, 387–397, 398
See also Management; Prevention and treatment; Therapeutic measures
- Trendelenburg’s position, 92–93
- Treponema pallidum*, 333
- Tri-Service draw-over vaporizer, 165, 166–169
- Triage
 and casualty care decision tree, 34
 categories, 38
 after chemical attack, 843–844
 and civil decision scheme, 765
- Tropical diseases, 865
See also Bacterial diseases; Viral diseases
- Trunkey, D.D., 16, 17
- Tubular mechanisms
 and ARF, 715
- Tumble, of bullets, 10
 and cavitation, 482
- Tumor necrosis factor (TNF), 554, 555
 and sepsis/SIRS/MODS, 607
See also Metabolic derangements and nutritional support
- 2-chloroprocaïne, 312
- ## U
- U.S. Air Force patient classifications for aeromedical evacuation, 770
- U.S. Army Burn Center, 672
- U.S. Army Institute of Surgical Research Burn Unit, 535
- U.S. Army Research Institute of Environmental Medicine (USARIEM), 551
- U.S. Army Surgical Research Laboratories, 871
- U.S.N.S. *Comfort* (T-AH 20), 137
 conversion, 756
 in Haiti, 45
- U.S.N.S. *Mercy* (T-AH 19), 137
 conversion, 756
- U.S. Naval Hospital (Brooklyn, NY), 863
- USS *Sanctuary*, 711
- Ulcers, decubitus
 after spinal cord injury, 413
- ULCO Field Anaesthesia Apparatus, 171–173
- Ultrasonography
 in sepsis/SIRS, 628
- Uncertainty principle, pharmacological, 182
- Unitary theory, 193
- United States Pharmacopeia, 301
- Univalent leak, 609

- Univent-750, 687
- Upjohn, 583
- Uptake and distribution of inhalational anesthetics, 199–202
 - and biophysical properties, 199–201
 - factors affecting, 201–202
 - and minimal alveolar concentration (MAC), 202
- Uremia
 - and bleeding disorders, 738–739
 - and dialysis, 738–739
 - and neurological abnormalities, 738
 - and pericarditis, 738
- Ureters
 - as injury site, 487–488
 - See also Genitourinary system; Retroperitoneal injuries; Urinary system
- Urinary catheters
 - and evacuation, 780
- Urinary system
 - and complications after spinal cord injury, 413
 - and morphine, 296
 - and regional anesthesia, 261
 - and secondary pain manifestations, 293–294
 - See also Genitourinary system; Ureters

V

- Valium, 221
 - See also Diazepam
- van't Hoff's law
 - inverse, 553
- Vapor of Benzid, 861
- Vaporizers, 165, 166–169
- Vascular injuries, 487
 - and evacuation complications, 776, 778
 - with face and neck injuries, 442
 - See also Retroperitoneal injuries
- Vascular mechanisms
 - and ARF, 715
- Vasoactive agents
 - to prevent ARF, 722–723
- Vasodilators, 95
- Vasopressors, 95, 635–636
- Vecuronium bromide, 243–244
 - See also Nondepolarizing muscle relaxants
- Venous access, 87
 - gaining, 46
- Venous pressure, central, 108–109
- Ventilation
 - management of, after head injury, 396
 - management of, and recommended modifications of ATLS, 35
 - mask, 447
 - transtracheal jet, 448–449
 - See also Mechanical ventilation; Oxygen and positive-pressure ventilation; Pulmonary pathophysiology
- Ventilators for combat use, 123, 702–704
 - and aeromedical evacuation, 781
 - and criteria for optimal use, 697
 - and examination of the patient-machine unit, 696
 - and functional design, 686–687
 - See also Equipment; Mechanical ventilation
- Ventilatory failure
 - and diagnosing respiratory failure, 680, 681
 - and postoperative hypoxemia, 681–682
- Venturi masks, 60
- Verne, Jules, 754
- Verni-Trol anesthetic vaporizer-flow calculator, 156, 157

- Versed, 221
 - See also Midazolam
- Vertebral injuries, 443
 - See also Cervical spine injuries
- Very rapid hypothermia, 792
- Vesicants, 673
 - See also Blister agents
- Vessels, great
 - as injury site, 487
 - See also Retroperitoneal injuries
- Vibration
 - See Noise and vibration
- Vietnam Head Injury Study, 380
- Vietnam Vascular Registry, 487
- Vietnam War
 - and abdominal trauma, 480
 - and aeromedical evacuation, 758, 776
 - and ARF, 711–712
 - and blood transfusion, 323, 346, 357, 483
 - and mechanical ventilation, 685–686
 - and military anesthesia, 885–892
 - and morbidity, 23
 - and mortality, 14, 15, 16, 480
 - and MUST hospitals, 118–119
 - and regional anesthesia, 887–888
- Viral diseases, 331–332
 - cytomegalovirus (CMV), 333
 - Epstein-Barr virus, 333
 - and evacuation complications, 778
 - hepatitis, 331–332
 - human immunodeficiency virus (HIV), 331, 332–333
 - and therapeutic modalities, 639
 - See also Infectious diseases
- Viscera
 - and toxic injury, 840
- Viscous injury, 458
- Vitamins, 572
 - requirement, 573
- Volatile anesthetics, potent
 - See Potent volatile anesthetics
- Volume expansion
 - and ARF, 721
 - See also Hypovolemia
- Volume overload
 - and dialysis, 737
- Volume replacement
 - alternatives, 335–336
 - See also Hypovolemia
- Volume resuscitation, 879–880
 - See also Fluid resuscitation; Hypovolemia; Resuscitation; Resuscitation fluid selection; Transfusion therapy

W

- Walter Reed Army Medical Center, 889
- War
 - American Civil War, 862–863
 - Boer War, 865
 - Crimean War, 861
 - Falklands War, 755–756
 - Franco-Prussian War, 754
 - Iran-Iraq War, 458
 - Korean War, 882–884
 - Mexican War, 860–862
 - and mortality, from 1854 through 1989, 18–19
 - Persian Gulf War, 132–134, 143, 152, 157, 166
 - Punic War, Second, 752

- Russo-Japanese War, 865
 Spanish-American War, 865–866
 Spanish Civil War, 754
 Vietnam War, 885–892
 World War I, 866–872
 World War II, 874–882
See also individual entries
- Warming
 estimated sources, 799
 supplemental, devices, 798–799
- Washington, George, 788
- Waters, Ralph, 874
- Weaning from ventilation, 699–702
 criteria for, 412, 699
 decision tree, 700
 definition, 699
- Weapons, 8–10
- Wellington (Duke of), Arthur Wellesley, 753
- Wells, Horace, 857
- Westermark's sign, 698
- Whipple procedure, 488
- Whole blood, 880, 881
 vs component therapy, blood, 324–325
 transfused from field donation, 352–354
See also Military transfusion practice; Transfusion therapy
- Williams intubating airway, 72
- Winnie 3-in-1 paravascular approach, 276, 277
- Women
 and anesthesia, 862
 as nurses, 865, 867
 and Rh blood groups, 356, 357
 as surgeons, 865
 during World War I, 867
See also Personnel
- Wood, Alexander, 865
- World War I
 and blood transfusions, 871–872
 and chemical warfare, 835, 840
 and chest surgery, 870
 and mortality, 15
- World War II
 and aeromedical evacuation, 754, 755, 758
 and anesthetics, 875–878
 and ARF, 710–711
 and asphyxiation, 57
 and attrition, 3–4
 and burn injuries, 522
 and equipment, 875–878
 and mobile hospitals, 116
 and mortality, 15–16, 24, 480
 and pain study, 288
 and personnel, 874–875
 and regional anesthesia, 878
 and transfusion practice, 322, 345, 355, 357, 361
- Wound ballistics
 in abdominal trauma, 481–482
See also Munitions, explosive
- Wound care
 of burn injuries, 526
- Wound Data and Munitions Effectiveness Team (WDMET)
 study, 11–13, 29–30, 40 n.15, 56, 76 n.3, 283 n.1, 415 n.3, 496 n.38, 516 n.6, 553, 705 n.1
- Wound depth, 11–13
- X**
- Xenophon, 788
- Y**
- Yaw, of bullets, 457
 and cavitation, 482
 and tumble, 10
 and wound damage, 378
- Yersinia enterocolitica*, 333
- Yom Kippur War
 and abdominal casualties, 480
- Z**
- Zieve's syndrome, 564
- Zinc, 555, 571–572
- Zone of the interior, 763–768
- Zygomatic fractures, 441